


# LED Headlights - Model 8700 EVO 2 PRO

## PRODUCT INFORMATION

<b>Description</b>	12-24V ECE LED LHT High & Low Beam Headlight with Black Inner Bezel - Single Light
<b>Height</b>	176.53 mm / 6.95 in
<b>Width</b>	176.53 mm / 6.95 in
<b>Depth</b>	99.82 mm / 3.93 in
<b>Outer Lens Material</b>	Polycarbonate
<b>Outer Lens Color</b>	Clear
<b>Housing Material</b>	Aluminum
<b>Housing Color</b>	Gray
<b>Bezel Color</b>	Black
<b>Retrofits</b>	2D1 "PAR56" or 7" round headlights
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	65 °C / 149 °F
<b>Connector or Wiring</b>	H4
<b>Mating Connector</b>	H4 AMP#172615-2
<b>Product Weight</b>	2.31 lbs / 1.05 kgs
<b>Shipping Weight</b>	4.00 lbs / 1.81 kgs



## PRODUCT DIMENSIONS



Print date: 2026-03-04

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
 Engineered. Lighting. Solutions.

# LED Headlights - Model 8700 EVO 2 PRO

## ELECTRICAL SPECIFICATIONS

---

<b>Input Voltage</b>	12-24V DC
<b>Operating Voltage</b>	9-32V DC
<b>Transient Spike Protection</b>	150V Peak @ 1 HZ-100 Pulses
<b>Black Wire</b>	Ground
<b>Yellow Wire</b>	Low Beam
<b>White Wire</b>	High Beam
<b>Current Draw</b>	3.60A @ 12V DC (High Beam) 2.00A @ 12V DC (Low Beam) 1.80A @ 24V DC (High Beam) 1.10A @ 24V DC (Low Beam)

## REGULATORY STANDARDS COMPLIANCE

---



Buy America Standards  
ECE Reg 112  
IEC IP67

ECE Reg 10  
Eco Friendly

---

**Print date: 2026-03-04**


© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**   
Engineered. Lighting. Solutions.

# LED Headlights - Model 8700 EVO 2 PRO

## PHOTOMETRIC SPECIFICATIONS

<b>Raw Lumen Output</b>	4,170 (High Beam); 2,340 (Low Beam)
<b>Effective Lumen Output</b>	1,340 (High Beam); 694 (Low Beam)
<b>Candela Output</b>	84,700 (High Beam); 30,600 (Low Beam)
<b>Nominal LED Color Temperature</b>	5000 K
<b>Beam Pattern(s)</b>	Forward Lighting - High Beam (ECE) Forward Lighting - Low Beam (ECE Left Hand)



## APPLICATIONS



## PRODUCT WARNINGS

For California residents:

**⚠️ WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**⚠️ AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Print date: 2026-03-04

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660

# LED Headlights - Model 8700 EVO 2 PRO

## ACCESSORIES

---



**Part Number**  
**0559951**  
12-24V ECE LED RHT  
Fired Rated High &  
Low Beam Headlight  
with DRL & Black Inner  
Bezel - Single Light



**Part Number**  
**8201111**  
Black Polycarbonate  
Bucket for 7" Round  
(PAR56) Headlight

## RELATED PRODUCTS

---



**Part Number**  
**0556951**  
12-24V ECE LHT High  
& Low Beam Headlight  
with DRL - Chrome



**Part Number**  
**0556961**  
12-24V ECE LHT High  
& Low Beam Headlight  
with DRL - Black



**Part Number**  
**0556971**  
12-24V ECE RHT High  
& Low Beam Headlight  
with DRL & Chrome  
Inner Bezel - Single  
Light



**Part Number**  
**0556981**  
12-24V ECE RHT High  
& Low Beam Headlight  
with DRL - Black



**Part Number**  
**0557511**  
12-24V ECE LED RHT  
High & Low Beam  
Headlight with Black  
Inner Bezel - Single  
Light