

LED Headlights - Model 8700 Evolution 2

PRODUCT INFORMATION

| | |
|--------------------------------------|---|
| Description | 12-24V ECE LED RHT High & Low Beam Headlight with FP, DRL & Black Inner Bezel |
| Height | 176.53 mm / 6.95 in |
| Width | 252.73 mm / 9.95 in |
| Depth | 99.82 mm / 3.93 in |
| Shape | Round |
| Outer Lens Material | Polycarbonate |
| Outer Lens Color | Clear |
| Housing Material | Aluminum |
| Housing Color | Gray |
| Bezel Color | Black |
| Retrofits | 2D1 "PAR56" or 7" round headlights |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 65 °C / 149 °F |
| Connector or Wiring | H4 |
| Mating Connector | H4 AMP#172615-2 |
| Product Weight | 2.31 lbs / 1.05 kgs |



Print date: 2017-08-16

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
 Engineered. Lighting. Solutions.

LED Headlights - Model 8700 Evolution 2

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

| | |
|-----------------------------------|--|
| Input Voltage | 12-24V DC |
| Operating Voltage | 9-32V DC |
| Transient Spike Protection | 150V Peak @ 1 HZ-100 Pulses |
| Black Wire | Ground |
| White Wire | High Beam |
| Yellow Wire | Low Beam |
| Red Wire | Front Position |
| Blue Wire | DRL |
| Current Draw | 3.00A @ 12V DC (High Beam) 2.00A @ 12V DC (Low Beam) 1.60A @ 24V DC (High Beam) 1.10A @ 24V DC (Low Beam) 1.60A @ 12V DC (DRL) 0.80A @ 24V DC (DRL) 0.16A @ 12V DC (Front Position) 0.10A @ 24V DC (Front Position) |

Print date: 2017-08-16

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Headlights - Model 8700 Evolution 2


REGULATORY STANDARDS COMPLIANCE



| | |
|-----------------------|-------------|
| Buy America Standards | ECE Reg 112 |
| ECE Reg 7 | ECE Reg 87 |
| Eco Friendly | IEC IP67 |

PHOTOMETRIC SPECIFICATIONS

| | |
|--------------------------------------|--|
| Raw Lumen Output | 2,610 (High Beam); 1,770 (Low Beam) |
| Effective Lumen Output | 1,150 (High Beam); 750 (Low Beam) |
| Candela Output | 60,897 (High Beam) 35,003 (Low Beam) |
| Nominal LED Color Temperature | 5000 K |
| Beam Pattern(s) | Forward Lighting - Daytime Running Light Forward Lighting - High Beam (DOT/ECE) Forward Lighting - Low Beam (ECE Right Hand) Signalization - Front Position |



Print date: 2017-08-16

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Headlights - Model 8700 Evolution 2

APPLICATIONS



INSTALLATION & APPLICATION INFORMATION

Fits the following vehicles:

- 1955-1983 Jeep CJ-5*
- 1976-1986 Jeep CJ-7*
- 1981-1985 Jeep CJ-8*
- 1997-2006 Jeep Wrangler (TJ)
- 2007-2015 Jeep Wrangler 2-Door (JK)
- 2007-2015 Jeep Wrangler Unlimited 4-Door (JK)

*Some modification of the bucket may be required

ADDITIONAL INFORMATION

Headlight must be securely mounted and properly aimed such that the beam pattern cut off line complies with all applicable regulations. If you are not familiar with the legal requirements for aiming your headlights, please see a professional service provider. We recommend that headlights are aimed with a headlight aiming system for proper alignment.

ECE-COMPLIANCE

This light is ECE-compliant and is not for use on-road in the U.S.

To be ECE-compliant guarantees your lights are compliant in the European Union and in non-European countries that have adopted ECE Regulations for visibility, durability, and reliability.

Print date: 2017-08-16

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Headlights - Model 8700 Evolution 2

ACCESSORIES



Part Number
3156351
Mounting Ring Kit for
7" Round (PAR56)
Headlights



Part Number
3156561
Panel Mount Bucket
Assembly for 8700
Evolution & 8710
Series



Part Number
3266081
Jumper Harness
H4/H13 for 8700
Evolution & 8710
Series



Part Number
8000311
Anti-Flicker Harness
H4/H13 for 8700
Evolution Series
Headlights



Part Number
8000381
Anti-Flicker Harness
H4/H4 for 8700
Evolution Series
Headlights



Part Number
8200411
Wire Harness H4 for 7"
Round (PAR56)
Headlights

LED Headlights - Model 8700 Evolution 2

RELATED PRODUCTS



Part Number
0549701

12-24V DOT LED High & Low Beam Headlight with Black Inner Bezel



Part Number
0549711

12-24V DOT LED High & Low Beam Headlight with Chrome Inner Bezel



Part Number
0549721

12-24V ECE LED LHT High & Low Beam Headlight with FP, DRL & Black Inner Bezel



Part Number
0549731

12-24V ECE LED LHT High & Low Beam Headlight with FP, DRL & Chrome Inner Bezel



Part Number
0549751

12-24V ECE LED RHT High & Low Beam Headlight with FP, DRL & Chrome Inner Bezel



Part Number
0550201

12-24V ECE LED LHT High & Low Beam Headlight with Black Inner Bezel



Part Number
0550211

12-24V ECE LED LHT High & Low Beam Headlight with Chrome Inner Bezel



Part Number
0550221

12-24V ECE LED RHT High & Low Beam Headlight with Black Inner Bezel