


# LED Jeep Turn Signals - Model 239 J2 Series

## PRODUCT INFORMATION

|                                      |   |
|--------------------------------------|---|
| <b>Description</b>                   | 12V DOT/ECE LED Round Turn Signals with Smoked Lens - 2 Light Kit |
| <b>Height</b>                        | 89.00 mm / 3.5 in   |
| <b>Width</b>                         | 89.00 mm / 3.5 in   |
| <b>Depth</b>                         | 56.00 mm / 2.2 in   |
| <b>Shape</b>                         | Round   |
| <b>Outer Lens Material</b>           | Acrylic   |
| <b>Outer Lens Color</b>              | Smoked  |
| <b>Housing Material</b>              | Aluminum  |
| <b>Housing Color</b>                 | Black   |
| <b>Mounting Hardware Description</b> | (x1) JK Mounting Bracket w/ SS bolt                               |
| <b>Retrofits</b>                     | Factory Jeep JK Front Turn Signals                                |
| <b>Minimum Operating Temperature</b> | -40 °C / -40 °F   |
| <b>Maximum Operating Temperature</b> | 60 °C / 140 °F  |
| <b>Connector or Wiring</b>           | Leads with Connector  |
| <b>Mating Connector</b>              | Delphi 13590270   |
| <b>Shipping Weight</b>               | 1.36 lbs / 0.62 kgs   |



## PRODUCT DIMENSIONS



Print date: 2017-10-19

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.  
[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660

**J.W. SPEAKER**   
 Engineered. Lighting. Solutions.

# LED Jeep Turn Signals - Model 239 J2 Series

## ELECTRICAL SPECIFICATIONS

---

|                          |  |
|--------------------------|--|
| <b>Input Voltage</b>     | 12V DC   |
| <b>Operating Voltage</b> | 9-16V DC   |
| <b>Current Draw</b>      | 0.12A @ 12V DC (Front Position)<br>2.10A @ 12V DC (Turn) |

## REGULATORY STANDARDS COMPLIANCE

---



|                       |                    |
|-----------------------|--------------------|
| Buy America Standards | ECE Reg 6          |
| Eco Friendly          | FMVSS 108 Table VI |
| IEC IP67              | SAE J588           |

## PHOTOMETRIC SPECIFICATIONS

---

|                        |  |
|------------------------|--|
| <b>Beam Pattern(s)</b> | Signalization - Front Position<br>Signalization - Turn (Front) |
|------------------------|--|

## APPLICATIONS

---



Print date: 2017-10-19

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

# LED Jeep Turn Signals - Model 239 J2 Series

## RELATED PRODUCTS

---



**Part Number**

**0346483**

12V DOT/ECE LED  
Round Turn Signals  
with Amber Lens - 2  
Light Kit



**Part Number**

**0346493**

12V DOT/ECE LED  
Round Turn Signals  
with Clear Lens - 2  
Light Kit