LED Marine Navigation Lights - Model 450

PRODUCT INFORMATION

Description	12-24V LED Stern (White) Marine Signal Light
Height	33.02 mm / 1.3 in
Width	198.12 mm / 7.8 in
Depth	43.18 mm / 1.7 in
Shape	Stylized
Outer Lens Material	Polycarbonate
Outer Lens Color	Clear
Housing Material	Polycarbonate
Housing Color	White
Mounting Type	Low Profile Mount
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Connector or Wiring	12" Bare Leads
Product Weight	0.24 lbs / 0.11 kgs
Shipping Weight	1.26 lbs / 0.57 kgs

PRODUCT DIMENSIONS

LED Marine Navigation Lights - Model 450

ELECTRICAL SPECIFICATIONS

Input Voltage	12-24V DC
Red Wire	Positive
Black Wire	Negative
Current Draw	0.21A @ 12V DC
	0.1A @ 24V DC

REGULATORY STANDARDS COMPLIANCE

ABYC A-16	Buy America Standards
Eco Friendly	IEC IP67
USCG COLREGS Part C	

PHOTOMETRIC SPECIFICATIONS

|	
Nominal LED Color Temperature	5000 K

APPLICATIONS

PRODUCT WARNINGS

For California residents:
⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.
⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

LED Marine Navigation Lights - Model 450

RELATED PRODUCTS

Part Number 0230681
12-24V LED Port (Red) Marine Signal Light

Part Number 0230691
12-24V LED Starboard (Green) Marine Signal Light

J.W. SPEAKER
Engineered. Lighting. Solutions.