


# LED Safety Light - Model 6150

## PRODUCT INFORMATION

<b>Description</b>	12-110V LED Red Zone Light
<b>Height</b>	121.23 mm / 4.77 in
<b>Width</b>	100.36 mm / 3.95 in
<b>Depth</b>	68.30 mm / 2.69 in
<b>Shape</b>	Round
<b>Outer Lens Material</b>	Hardcoated Polycarbonate
<b>Outer Lens Color</b>	Clear
<b>Housing Material</b>	Die-Cast Aluminum
<b>Housing Color</b>	Black
<b>Bezel Color</b>	Black
<b>Mounting Hardware Description</b>	(x1) M8-1.25 x .25 SS Mounting Bolt
<b>Mounting Type</b>	Universal Pedestal Mount
<b>Product Weight</b>	0.99 lbs / 0.45 kgs
<b>Shipping Weight</b>	1.23 lbs / 0.56 kgs



## PRODUCT DIMENSIONS



Print date: 2026-05-14

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
 Engineered. Lighting. Solutions.

# LED Safety Light - Model 6150

## ELECTRICAL SPECIFICATIONS

<b>Input Voltage</b>	12-110V DC
<b>Red Wire</b>	Power
<b>Black Wire</b>	Ground
<b>Current Draw</b>	1.15A @ 12V DC 0.57A @ 24V DC 0.28A @ 48V DC 0.23A @ 60V DC 0.14A @ 110V DC

## REGULATORY STANDARDS COMPLIANCE




Buy America Standards  
IEC IP67

Eco Friendly

## PHOTOMETRIC SPECIFICATIONS

<b>Effective Lumen Output</b>	318
<b>Candela Output</b>	3,454
<b>Beam Pattern(s)</b>	Warning - Keep Out Zone



Print date: 2026-05-14

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
Engineered. Lighting. Solutions.

# LED Safety Light - Model 6150

## APPLICATIONS

---



## PRODUCT WARNINGS

---

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## RELATED PRODUCTS

---



**Part Number**

**0553561**

12-110V Antiglare

Zone Light

---

**Print date: 2026-05-14**

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660