PRODUCT INFORMATION

Description 48-110V LED Red Stripe Zone Light with

Shroud

 Height
 48.00 mm / 1.89 in

 Width
 150.00 mm / 5.91 in

 Depth
 97.00 mm / 3.82 in

Shape Rectangular

Outer Lens Material Polycarbonate

Outer Lens ColorClearHousing MaterialAluminumHousing ColorBlackBezel ColorBlack

Mounting Hardware (x1) 5/16"-18 x 1.00" Mounting Bolt

DescriptionBracketMounting TypePedestalMinimum Operating-40 °C / -40 °F

Temperature

Maximum Operating 65 °C / 149 °F

Temperature

Connector or Wiring Deutsch DT04-2P


Mating Connector Deutsch DT06-2S with harness included


with flying leads

Product Weight 0.90 lbs / 0.41 kgs Shipping Weight 1.09 lbs / 0.49 kgs



PRODUCT DIMENSIONS









ELECTRICAL SPECIFICATIONS

Input Voltage 48-110V DC Operating Voltage 38-120V DC

Transient Spike Protection 330V Peak @ 1 HZ-100 Pulses

Black Wire Ground
Red Wire Power

Current Draw 0.350A @ 48V DC

0.409A @ 60V DC 0.350A @ 72V DC 0.407A @ 80V DC

REGULATORY STANDARDS COMPLIANCE







Buy America Standards Eco Friendly IEC IP69K UL Recognized


PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output 1,130 Effective Lumen 317

Output

Candela Output 3,150

Beam Pattern(s) Warning - Keep Out Zone





APPLICATIONS



















PRODUCT WARNINGS

For California residents:

▲ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov.

AVERTISSEMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.



RELATED PRODUCTS



Part Number 1603631 12-36V LED Red Stripe 12-36V LED Blue Zone Light



Part Number 1603641 Stripe Zone Light



Part Number 1603651 12-36V LED Amber Stripe Zone Light



Part Number 1603681 12-36V LED Red Stripe 12-36V LED Red Zone Light with Shroud



Part Number 1603761 Stripe, Long Bracket



Part Number 1603771 12-36V LED Blue Stripe, Long Bracket



Part Number 1603781 12-36V Amber Stripe Zone Light, Long Bracket



Part Number 1603791 12-36V Red Stripe with Shroud, Long Bracket