

# LED Signal Lights - Model 217

## PRODUCT INFORMATION

---

<b>Description</b>	12-24V SAE/ECE LED DRL & Front Position Light without 90mm Mounting Assembly Adapter
<b>Height</b>	72.39 mm / 2.85 in
<b>Width</b>	72.39 mm / 2.85 in
<b>Depth</b>	39.62 mm / 1.56 in
<b>Shape</b>	Round
<b>Outer Lens Material</b>	Polycarbonate
<b>Outer Lens Color</b>	Clear
<b>Housing Material</b>	Polycarbonate
<b>Housing Color</b>	Black
<b>Mounting Hardware Description</b>	(x2) M6-1 x 25 Bolts
<b>Mounting Type</b>	Universal Mount
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	65 °C / 149 °F
<b>Connector or Wiring</b>	610mm Cable
<b>Product Weight</b>	0.23 lbs / 0.1 kgs
<b>Shipping Weight</b>	0.23 lbs / 0.1 kgs



---


**Print date: 2026-06-03**

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**   
Engineered. Lighting. Solutions.

# LED Signal Lights - Model 217

## PRODUCT DIMENSIONS



## ELECTRICAL SPECIFICATIONS

<b>Input Voltage</b>	12-24V DC
<b>Green Wire</b>	DRL
<b>Red Wire</b>	Front Position
<b>Black Wire</b>	Ground
<b>Current Draw</b>	0.55A @ 12V DC (DRL) 0.30A @ 24V DC (DRL) 0.05A @ 12V DC (Front Position) 0.03A @ 24V DC (Front Position)

## REGULATORY STANDARDS COMPLIANCE



Buy America Standards  
ECE Reg 87  
IEC IP67

ECE Reg 7  
Eco Friendly

Print date: 2026-06-03

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
Engineered. Lighting. Solutions.

# LED Signal Lights - Model 217

## PHOTOMETRIC SPECIFICATIONS

---

**Nominal LED Color Temperature** 5000 K  
**Beam Pattern(s)** Forward Lighting - Daytime  
Running Light  
Signalization - Front Position

## APPLICATIONS

---



## PRODUCT WARNINGS

---

For California residents:

**⚠ WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**⚠ AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

---

**Print date: 2026-06-03**

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660

# LED Signal Lights - Model 217

## RELATED PRODUCTS


---



**Part Number**  
**0345411**  
12-24V ECE LED Stop  
& Tail Light without  
90mm Mounting  
Assembly Adapter



**Part Number**  
**0345421**  
12-24V SAE/ECE LED  
Backup Light without  
90mm Mounting  
Assembly Adapter



**Part Number**  
**0345441**  
12-24V SAE/ECE LED  
Turn Signal without  
90mm Mounting  
Assembly Adapter



**Part Number**  
**0345451**  
12-24V SAE/ECE LED  
DRL & Front Position  
Light with 90mm  
Mounting Assembly  
Adapter



**Part Number**  
**0345521**  
12-24V SAE/ECE LED  
Turn Signal with  
90mm Mounting  
Assembly Adapter