


LED Square Signal Lights and Tail Lights - Model 224

PRODUCT INFORMATION

| | |
|--------------------------------------|--|
| Description | 12-24V ECE LED Rear Fog Light with Harness |
| Height | 127.00 mm / 5 in |
| Width | 127.00 mm / 5 in |
| Depth | 44.96 mm / 1.77 in |
| Shape | Square |
| Outer Lens Material | Acrylic |
| Outer Lens Color | Red |
| Housing Material | ABS |
| Housing Color | Black |
| Mounting Hardware Description | (x2) M6-1 x 25 Mounting Bolts |
| Mounting Type | Low Profile Mount |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 65 °C / 149 °F |
| Mating Connector | 4-Pin Deutsch Plug (DT06-4S) |
| Product Weight | 0.46 lbs / 0.21 kgs |
| Shipping Weight | 4.00 lbs / 1.81 kgs |



PRODUCT DIMENSIONS



Print date: 2023-11-30

© 2023 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Square Signal Lights and Tail Lights - Model 224

ELECTRICAL SPECIFICATIONS

| | |
|----------------------|------------------------------------|
| Input Voltage | 12-24V DC |
| Red Wire | Positive |
| Black Wire | Negative |
| Current Draw | 0.338A @ 12V DC 0.156A @ 24V DC |

REGULATORY STANDARDS COMPLIANCE



ASABE S279
ECE Reg 38
IEC IP67

Buy America Standards
Eco Friendly

PHOTOMETRIC SPECIFICATIONS

Beam Pattern(s) Signalization - Marker

APPLICATIONS



PRODUCT WARNINGS

For California residents:

⚠ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠ AVERTISSEMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

Print date: 2023-11-30


© 2023 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Square Signal Lights and Tail Lights - Model 224


RELATED PRODUCTS



Part Number
0342291
12-24V ECE/SAE LED
Turn Signal Light



Part Number
0342301
12-24V ECE/SAE LED
Stop & Tail Light



Part Number
0442611
12-24V ECE/SAE LED
Backup Light with
Harness