


# LED Signal Lights - Model 245

## PRODUCT INFORMATION

<b>Description</b>	12-24V ECE/SAE LED Backup Light
<b>Height</b>	118.87 mm / 4.68 in
<b>Width</b>	166.37 mm / 6.55 in
<b>Depth</b>	50.55 mm / 1.99 in
<b>Shape</b>	Rectangular
<b>Outer Lens Material</b>	Acrylic
<b>Outer Lens Color</b>	Clear
<b>Housing Material</b>	ABS
<b>Housing Color</b>	Black
<b>Mounting Type</b>	Low Profile Mount
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	65 °C / 149 °F
<b>Connector or Wiring</b>	Integrated 3-Pin Deutsch Weather-Proof Socket (DT04-3P)
<b>Mating Connector</b>	3-Pin Deutsch Weather-Proof Plug (DT06-3S)
<b>Product Weight</b>	0.25 lbs / 0.11 kgs
<b>Shipping Weight</b>	1.20 lbs / 0.54 kgs



## PRODUCT DIMENSIONS



Print date: 2026-05-18

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660


**J.W. SPEAKER**  
 Engineered. Lighting. Solutions.

# LED Signal Lights - Model 245

## ELECTRICAL SPECIFICATIONS

<b>Input Voltage</b>	12-24V DC
<b>Black Wire</b>	Ground
<b>Red Wire</b>	Backup
<b>Current Draw</b>	0.4A @ 12V DC 0.23A @ 24V DC

## REGULATORY STANDARDS COMPLIANCE



Buy America Standards	ECE Reg 23
Eco Friendly	FMVSS 108 s7.6 (Table XII)
IEC IP67	SAE J575
SAE J593	VSTD Item 33

## PHOTOMETRIC SPECIFICATIONS

**Nominal LED Color Temperature** 5000 K

## APPLICATIONS



**Print date: 2026-05-18**

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
Engineered. Lighting. Solutions.

# LED Signal Lights - Model 245

## PRODUCT WARNINGS

---

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## RELATED PRODUCTS

---



**Part Number**  
**0343911**  
12-24V ECE/SAE LED  
Stop & Tail Light



**Part Number**  
**0343921**  
12-24V ECE/SAE LED  
Turn Signal Light