


LED Signal Lights - Model 245

PRODUCT INFORMATION

| | |
|--------------------------------------|---------------------------------------------------------|
| Description | 12-24V ECE/SAE LED Backup Light |
| Height | 118.87 mm / 4.68 in |
| Width | 166.37 mm / 6.55 in |
| Depth | 50.55 mm / 1.99 in |
| Shape | Rectangular |
| Outer Lens Material | Acrylic |
| Outer Lens Color | Clear |
| Housing Material | ABS |
| Housing Color | Black |
| Mounting Type | Low Profile Mount |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 65 °C / 149 °F |
| Connector or Wiring | Integrated 3-Pin Deutsch Weather-Proof Socket (DT04-3P) |
| Mating Connector | 3-Pin Deutsch Weather-Proof Plug (DT06-3S) |
| Shipping Weight | 1.20 lbs / 0.54 kgs |



PRODUCT DIMENSIONS



Print date: 2018-04-21

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
 Engineered. Lighting. Solutions.

LED Signal Lights - Model 245

ELECTRICAL SPECIFICATIONS

| | |
|----------------------|---------------------------------|
| Input Voltage | 12-24V DC |
| Black Wire | Ground |
| Red Wire | Backup |
| Current Draw | 0.4A @ 12V DC 0.23A @ 24V DC |

REGULATORY STANDARDS COMPLIANCE



| | |
|-----------------------|---------------------|
| Buy America Standards | ECE Reg 23 |
| Eco Friendly | FMVSS 108 Table XII |
| IEC IP67 | SAE J575 |
| SAE J593 | VSTD Item 33 |

PHOTOMETRIC SPECIFICATIONS

Nominal LED Color Temperature 5000 K

APPLICATIONS



Print date: 2018-04-21

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
Engineered. Lighting. Solutions.

LED Signal Lights - Model 245

RELATED PRODUCTS



Part Number
0343911
12-24V ECE/SAE LED
Stop & Tail Light



Part Number
0343921
12-24V ECE/SAE LED
Turn Signal Light