





# LED Signal Lights - Model 270

## PRODUCT INFORMATION

|                                      |                                   |
|--------------------------------------|-----------------------------------|
| <b>Description</b>                   | 12V ECE/SAE LED Stop & Tail Light |
| <b>Height</b>                        | 81.03 mm / 3.19 in                |
| <b>Width</b>                         | 170.94 mm / 6.73 in               |
| <b>Depth</b>                         | 51.56 mm / 2.03 in                |
| <b>Shape</b>                         | Rectangular                       |
| <b>Outer Lens Material</b>           | Acrylic                           |
| <b>Outer Lens Color</b>              | Red                               |
| <b>Housing Material</b>              | ABS                               |
| <b>Housing Color</b>                 | Black                             |
| <b>Mounting Type</b>                 | Low Profile Mount                 |
| <b>Minimum Operating Temperature</b> | -40 °C / -40 °F                   |
| <b>Maximum Operating Temperature</b> | 65 °C / 149 °F                    |
| <b>Connector or Wiring</b>           | 16" Bare Leads                    |
| <b>Product Weight</b>                | 0.48 lbs / 0.22 kgs               |
| <b>Shipping Weight</b>               | 4.75 lbs / 2.15 kgs               |



## PRODUCT DIMENSIONS



Print date: 2026-04-28

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660


**J.W. SPEAKER**  
Engineered. Lighting. Solutions.

# LED Signal Lights - Model 270

## ELECTRICAL SPECIFICATIONS

|                      |  |
|----------------------|--|
| <b>Input Voltage</b> | 12V DC   |
| <b>White Wire</b>    | Tail   |
| <b>Red Wire</b>      | Stop   |
| <b>Black Wire</b>    | Ground   |
| <b>Current Draw</b>  | 0.070A @ 12V DC (Stop)<br>0.007A @ 12V DC (Tail) |

## REGULATORY STANDARDS COMPLIANCE



|                             |                            |
|-----------------------------|----------------------------|
| Buy America Standards       | ECE Reg 7                  |
| Eco Friendly                | FMVSS 108 s7.1 (Table VII) |
| FMVSS 108 s7.2 (Table VIII) | FMVSS 108 s7.3 (Table IX)  |
| IEC IP67                    | SAE J1889                  |
| SAE J2040                   | SAE J2139                  |
| SAE J2261                   | SAE J278                   |
| SAE J279                    | SAE J575                   |
| SAE J585                    | SAE J586                   |
| SAE J588                    |                            |

## PHOTOMETRIC SPECIFICATIONS

|                        |  |
|------------------------|--|
| <b>Beam Pattern(s)</b> | Signalization - Stop<br>Signalization - Tail |
|------------------------|--|

Print date: 2026-04-28

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

# LED Signal Lights - Model 270

## APPLICATIONS



## PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## ACCESSORIES



**Part Number**

**4401771**

Replacement Amber  
Acrylic Lens for Model  
270 Signal Light



**Part Number**

**4420511**

Replacement Red  
Acrylic Lens for Model  
270 Signal Light

## RELATED PRODUCTS



**Part Number**

**0341341**

12V ECE/SAE LED Turn  
Signal Light

Print date: 2026-04-28

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660