



LED Signal Lights - Model 272

PRODUCT INFORMATION

Description	12V ECE/SAE LED Turn Signal Light
Height	57.91 mm / 2.28 in
Width	165.10 mm / 6.5 in
Depth	40.13 mm / 1.58 in
Shape	Rectangular
Outer Lens Material	Polycarbonate
Outer Lens Color	Amber
Housing Material	Impact-Resistant Nylon
Housing Color	Black
Mounting Hardware Description	#10 or M5-Mounting Screw
Mounting Type	Low Profile Mount
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Connector or Wiring	Integrated Delphi Socket
Mating Connector	Delphi (#12059595), Packard (#1211029)
Product Weight	0.32 lbs / 0.15 kgs



PRODUCT DIMENSIONS



Print date: 2018-11-13

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
 Engineered. Lighting. Solutions.

LED Signal Lights - Model 272

ELECTRICAL SPECIFICATIONS

Input Voltage	12V DC
Black Wire	Ground
Red Wire	Turn
Current Draw	0.21A @ 12V DC

REGULATORY STANDARDS COMPLIANCE




ASABE S279	Buy America Standards
ECE Reg 6	Eco Friendly
FMVSS 108 Table VI	FMVSS 108 Table VII
IEC IP67	SAE J1889
SAE J2261	SAE J575
SAE J588	SAE J974

PHOTOMETRIC SPECIFICATIONS

Beam Pattern(s)	Signalization - Turn (Front)
	Signalization - Turn (Rear)
	Warning - Flashing Warning

APPLICATIONS



Print date: 2018-11-13

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
 Engineered. Lighting. Solutions.

LED Signal Lights - Model 272

RELATED PRODUCTS



Part Number
0341811
12V ECE/SAE LED Stop
& Tail Light



Part Number
0343181
24V ECE/SAE LED Turn
Signal Light