

LED Turn Signal Lights and CHMSL Tail Lights - Model 272

PRODUCT INFORMATION

Description	12-24V ECE/SAE LED Stop & Tail Light - Red
Height	57.91 mm / 2.28 in
Width	165.10 mm / 6.5 in
Depth	40.13 mm / 1.58 in
Shape	Rectangular
Outer Lens Material	Polycarbonate
Outer Lens Color	Red
Housing Material	Impact-Resistant Nylon
Housing Color	Black
Mounting Hardware Description	#10 or M5-Mounting Screw
Mounting Type	Low Profile Mount
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Connector or Wiring	Integrated Delphi Socket
Mating Connector	Delphi (#12059595), Packard (#1211029)
Product Weight	0.32 lbs / 0.15 kgs
Shipping Weight	0.75 lbs / 0.34 kgs




Print date: 2026-06-20

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
Engineered. Lighting. Solutions.

LED Turn Signal Lights and CHMSL Tail Lights - Model 272

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage	12/24V DC
Operating Voltage	10-30V DC
Transient Spike Protection	150V Peak @ 1 HZ-100 Pulses
Black Wire	Ground
Red Wire	Stop
White Wire	Tail
Current Draw	.16A @ 12V DC .95A @ 24V DC

Print date: 2026-06-20

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Turn Signal Lights and CHMSL Tail Lights - Model 272

REGULATORY STANDARDS COMPLIANCE



ASABE S279	Buy America Standards
ECE Reg 7	Eco Friendly
FMVSS 108 s7.1 (Table VII)	FMVSS 108 s7.2 (Table VIII)
FMVSS 108 s7.3 (Table IX)	IEC IP67
SAE J1889	SAE J2040
SAE J2261	SAE J575
SAE J585	SAE J586

PHOTOMETRIC SPECIFICATIONS

Beam Pattern(s)	Signalization - Stop
	Signalization - Tail

APPLICATIONS



PRODUCT WARNINGS

For California residents:

⚠️ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠️ AVERTISSEMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

Print date: 2026-06-20

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
 Engineered. Lighting. Solutions.

LED Turn Signal Lights and CHMSL Tail Lights - Model 272

ACCESSORIES



Part Number
3271561
4 PIN M12 CABLE, 10 m



Part Number
3271571
M12-RCA CONVERSION CABLE



Part Number
3271581
4 PIN M12 CABLE, 6 m



Part Number
6600771
COLOR MONITOR, 4.3", RCA



Part Number
6600801
COLOR MONITOR, 5", M12

RELATED PRODUCTS



Part Number
0341801
12-24V ECE/SAE LED Front/Rear Turn Signal Light - Amber



Part Number
0343181
12-24V ECE/SAE LED Rear Turn Signal Light - Amber



Part Number
0346391
12-24V ECE/SAE LED Flush Mount Turn Signal Light - Amber



Part Number
0346891
12V DOT LED CHMSL with Camera - Red