


LED Turn Signal Lights and CHMSL Tail Lights - Model 272

PRODUCT INFORMATION

Description	12-24V ECE/SAE LED Rear Turn Signal Light - Amber
Height	57.91 mm / 2.28 in
Width	165.10 mm / 6.5 in
Depth	40.13 mm / 1.58 in
Shape	Rectangular
Outer Lens Material	Polycarbonate
Outer Lens Color	Amber
Housing Material	Impact-Resistant Nylon
Housing Color	Black
Mounting Hardware Description	(x2) #10 or M5-Mounting Screw
Mounting Type	Low Profile Mount
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Connector or Wiring	Integrated Delphi Socket
Mating Connector	Delphi (#12059595), Packard (#1211029)
Product Weight	0.33 lbs / 0.15 kgs
Shipping Weight	0.75 lbs / 0.34 kgs




Print date: 2026-07-11

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
Engineered. Lighting. Solutions.

LED Turn Signal Lights and CHMSL Tail Lights - Model 272

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage	12/24V DC
Operating Voltage	10-30V DC
Transient Spike Protection	150V Peak @ 1 HZ-100 Pulses
Black Wire	Ground
Red Wire	Turn
Current Draw	.19A @ 12V DC (Turn) .12A @ 24V DC (Turn)

Print date: 2026-07-11

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Turn Signal Lights and CHMSL Tail Lights - Model 272

REGULATORY STANDARDS COMPLIANCE



ASABE S279

ECE Reg 6

FMVSS 108 s7.1 (Table VII)

SAE J1889

SAE J575

SAE J974

Buy America Standards

Eco Friendly

IEC IP67

SAE J2261

SAE J588

PHOTOMETRIC SPECIFICATIONS

Beam Pattern(s) Signalization - Turn (Rear)
Warning - Flashing Warning

APPLICATIONS



PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

Print date: 2026-07-11

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Turn Signal Lights and CHMSL Tail Lights - Model 272

ACCESSORIES



Part Number
3271561
4 PIN M12 CABLE, 10
m



Part Number
3271571
M12-RCA CONVERSION
CABLE



Part Number
3271581
4 PIN M12 CABLE, 6 m



Part Number
6600771
COLOR MONITOR,
4.3", RCA



Part Number
6600801
COLOR MONITOR, 5",
M12

RELATED PRODUCTS



Part Number
0341801
12-24V ECE/SAE LED
Front/Rear Turn Signal
Light - Amber



Part Number
0341811
12-24V ECE/SAE LED
Stop & Tail Light - Red



Part Number
0346391
12-24V ECE/SAE LED
Flush Mount Turn
Signal Light - Amber



Part Number
0346891
12V DOT LED CHMSL
with Camera - Red