


# LED Stop Lights & Tail Lights - Model 6042

## PRODUCT INFORMATION

<b>Description</b>	12-24V SAE LED Stop & Tail Light
<b>Height</b>	113.03 mm / 4.45 in
<b>Width</b>	113.03 mm / 4.45 in
<b>Depth</b>	43.18 mm / 1.7 in
<b>Shape</b>	Round
<b>Outer Lens Material</b>	Polycarbonate
<b>Outer Lens Color</b>	Clear
<b>Housing Material</b>	Die-Cast Aluminum
<b>Housing Color</b>	Black
<b>Retrofits</b>	PAR36
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	65 °C / 149 °F
<b>Mating Connector</b>	Female Terminal Mole1 ETC AA-2140 T or #8 Ring Terminal
<b>Product Weight</b>	0.49 lbs / 0.22 kgs
<b>Shipping Weight</b>	10.35 lbs / 4.69 kgs



## PRODUCT DIMENSIONS



Print date: 2026-03-04

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
Engineered. Lighting. Solutions.

# LED Stop Lights & Tail Lights - Model 6042


## ELECTRICAL SPECIFICATIONS

---

<b>Input Voltage</b>	12-24V DC
<b>Red Wire</b>	Stop
<b>White Wire</b>	Tail
<b>Black Wire</b>	Ground
<b>Current Draw</b>	0.165A @ 12V DC (Stop) 0.180A @ 24V DC (Stop) 0.012A @ 12V DC (Tail) 0.012A @ 24V DC (Tail)

## REGULATORY STANDARDS COMPLIANCE

---



Buy America Standards	Eco Friendly
FMVSS 108 s7.2 (Table VIII)	FMVSS 108 s7.3 (Table IX)
IEC IP67	SAE J585
SAE J586	

## PHOTOMETRIC SPECIFICATIONS

---

**Nominal LED Color Temperature** 5000 K

**Print date: 2026-03-04**

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**   
Engineered. Lighting. Solutions.

# LED Stop Lights & Tail Lights - Model 6042

## APPLICATIONS

---



## PRODUCT WARNINGS

---

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).