PRODUCT INFORMATION


Description	12-24V DOT LED Heated Amber Front Position & Front Turn Signal Light with Harness
Height	57.00 mm / 2.24 in
Width	165.50 mm / 6.52 in
Depth	21.00 mm / 0.83 in
Shape	Oval
Outer Lens Material	Polycarbonate
Outer Lens Color	Clear
Housing Material	Polycarbonate
Housing Color	Black
Bezel Color	Amber
Mounting Type	Grommet/Flange Bracket
Retrofits	Standard 2" x 6" Signal Lights
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	50 °C / 122 °F
Mating Connector	3-Pin AMP Connector (282087-1)
Product Weight	0.35 lbs / 0.16 kgs
Shipping Weight	1.35 lbs / 0.61 kgs
Additional Information	Part Number Includes Wiring Harness 3270501







PRODUCT DIMENSIONS





ELECTRICAL SPECIFICATIONS

Input Voltage	10-30V DC
Operating Voltage	12-24V DC
Transient Spike Protection	150V Peak @ 1 HZ-100 Pul
White Wire	Ground
Black Wire	Front Pos. w/Heater
Red Wire	Front Turn
Current Draw	0.7A @ 12V DC (Front Turn) 0.7A @ 24V DC (Front Turn) 1.5A @ 12V DC (Front Position Heated) 1.5A @ 24V DC (Front Position Heated)

REGULATORY STANDARDS COMPLIANCE



Buy America Standards FMVSS 108 s7.1 (Table VI) SAE J222

Eco Friendly FMVSS 108 s7.8 (Table XIV) SAE J588

PHOTOMETRIC SPECIFICATIONS

Beam Pattern(s) Signalization - Front Position Signalization - Turn (Front)

APPLICATIONS



Print date: 2025-07-03 © 2025 J.W. Speaker Corporation • Germantown, WI U.S.A. www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660



INSTALLATION & APPLICATION INFORMATION

Installation requires the black wire (Front Position w/ Heater) to be powered in order for the heater to work. Only power supplied to the black wire will power the heater. If power is not supplied to the heater, the light will not be heated. Current Draws will differ based upon whether or not the heater is powered and activated. Turn off power before installing.

PRODUCT WARNINGS

For California residents: ▲ WARNING: Cancer and reproductive harm - <u>www.P65Warnings.ca.gov</u>. ▲ AVERTISSEMENT: Cancer et effet nocif sur la reproduction - <u>www.P65Warnings.ca.gov</u>.

ACCESSORIES



Part Number

Rubber Mounting

Grommet for Model

<u>4242891</u>

274





Part Number 5870261 Plastic Mounting Flange for Model 274 Part Number 8200581 Steel L-Shaped Mounting Bracket for Model 274



Part Number 8200591 Chrome Plastic Trim Ring for Model 274



Part Number 3270501 3-Pin AMP Connector Wire Harness Assembly



RELATED PRODUCTS



Part Number 0346701 12-24V DOT LED Heated Red Stop, Tail, & Turn Light



Part Number 0346704 12-24V DOT LED Heated Red Stop, Tail, & Turn Light with Harness



Part Number 0346711 12-24V DOT LED Heated Amber Rear Turn Light



Part Number 0346714 12-24V DOT LED Heated Amber Rear Turn Light with Harness



Part Number 0346721 12-24V DOT LED Heated White Reverse Light



Part Number 0346724

12-24V DOT LED

Light with Harness

Heated White Reverse

Can



Part Number 0346781 12-24V DOT LED Heated Amber Front Position & Front Turn Signal Light

Part Number 0346791 12-24V DOT LED Heated Amber Side Marker Light

