

# Heated Oval LED Signal Light - Model 274

## PRODUCT INFORMATION

<b>Description</b>	12-24V DOT LED Heated Amber Side Marker Light with Harness
<b>Height</b>	57.00 mm / 2.24 in
<b>Width</b>	165.50 mm / 6.52 in
<b>Depth</b>	21.00 mm / 0.83 in
<b>Shape</b>	Oval
<b>Outer Lens Material</b>	Polycarbonate
<b>Outer Lens Color</b>	Clear
<b>Housing Material</b>	Polycarbonate
<b>Housing Color</b>	Black
<b>Bezel Color</b>	Amber
<b>Mounting Type</b>	Grommet/Flange Bracket
<b>Retrofits</b>	Standard 2" x 6" Signal Lights
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	50 °C / 122 °F
<b>Mating Connector</b>	3-Pin AMP Connector (282087-1)
<b>Product Weight</b>	0.35 lbs / 0.16 kgs
<b>Shipping Weight</b>	1.35 lbs / 0.61 kgs
<b>Additional Information</b>	Part Number Includes Wiring Harness 3270501




Print date: 2026-04-18

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**   
 Engineered. Lighting. Solutions.


# Heated Oval LED Signal Light - Model 274

## PRODUCT DIMENSIONS



### Pin Out Information

LIGHT (Socket shown ↑ top)



### WIRE HARNESS\*



\*Wire harness sold separately on Part # 0346791.  
Wire harness included on Part # 0346794.  
Also available as a single accessory (Part # 3270501)


*The black wire on the does not need to be connected to a power source for the Side Marker Lamp to function.*

# Heated Oval LED Signal Light - Model 274

## ELECTRICAL SPECIFICATIONS

<b>Input Voltage</b>	10-30V DC
<b>Operating Voltage</b>	12-24V DC
<b>Transient Spike Protection</b>	150V Peak @ 1 HZ-100 Pul
<b>White Wire</b>	Ground
<b>Black Wire</b>	No Function
<b>Red Wire</b>	Side Marker w/Heater
<b>Current Draw</b>	1A @ 12V DC (Sidemarker Heated) 1A @ 24V DC (Sidemarker Heated)

## REGULATORY STANDARDS COMPLIANCE



Buy America Standards  
FMVSS 108 s7.4 (Table X)

Eco Friendly  
SAE J592

## PHOTOMETRIC SPECIFICATIONS

**Beam Pattern(s)** Signalization - Marker

## APPLICATIONS



## INSTALLATION & APPLICATION INFORMATION

Power supplied in any mode will power the heater. If power is not supplied to the heater, the light will not be heated. Turn off power before installing.

**Print date: 2026-04-18**

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
Engineered. Lighting. Solutions.

# Heated Oval LED Signal Light - Model 274

## PRODUCT WARNINGS

---

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## ACCESSORIES

---



**Part Number**  
**4242891**

Rubber Mounting  
Grommet for Model  
274



**Part Number**  
**5870261**

Plastic Mounting  
Flange for Model 274



**Part Number**  
**8200581**

Steel L-Shaped  
Mounting Bracket for  
Model 274



**Part Number**  
**8200591**

Chrome Plastic Trim  
Ring for Model 274



**Part Number**  
**3270501**

3-Pin AMP Connector  
Wire Harness  
Assembly

# Heated Oval LED Signal Light - Model 274

## RELATED PRODUCTS

---



**Part Number**  
**0346701**  
12-24V DOT LED  
Heated Red Stop, Tail,  
& Turn Light




**Part Number**  
**0346704**  
12-24V DOT LED  
Heated Red Stop, Tail,  
& Turn Light with  
Harness



**Part Number**  
**0346711**  
12-24V DOT LED  
Heated Amber Rear  
Turn Light



**Part Number**  
**0346714**  
12-24V DOT LED  
Heated Amber Rear  
Turn Light with  
Harness



**Part Number**  
**0346721**  
12-24V DOT LED  
Heated White Reverse  
Light



**Part Number**  
**0346724**  
12-24V DOT LED  
Heated White Reverse  
Light with Harness



**Part Number**  
**0346781**  
12-24V DOT LED  
Heated Amber Front  
Position & Front Turn  
Signal Light



**Part Number**  
**0346784**  
12-24V DOT LED  
Heated Amber Front  
Position & Front Turn  
Signal Light with  
Harness