


Heated Oval LED Signal Light - Model 274

PRODUCT INFORMATION

| | |
|--------------------------------------|--|
| Description | 12-24V DOT LED Heated RED Flash Signal Light |
| Height | 57.00 mm / 2.24 in |
| Width | 165.50 mm / 6.52 in |
| Depth | 21.00 mm / 0.83 in |
| Shape | Oval |
| Outer Lens Material | Polycarbonate |
| Outer Lens Color | Clear |
| Housing Material | Polycarbonate |
| Housing Color | Black |
| Bezel Color | Red |
| Mounting Type | Grommet/Flange Bracket |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 50 °C / 122 °F |
| Connector or Wiring | 6-Pin Delphi (#12052848) |
| Mating Connector | Delphi (#12052848) |
| Product Weight | 0.35 lbs / 0.16 kgs |
| Shipping Weight | 0.35 lbs / 0.16 kgs |



PRODUCT DIMENSIONS



Print date: 2024-07-27

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
 Engineered. Lighting. Solutions.

Heated Oval LED Signal Light - Model 274

ELECTRICAL SPECIFICATIONS

| | |
|-----------------------------------|---|
| Input Voltage | 12-24V DC |
| Operating Voltage | 9-32V DC |
| Transient Spike Protection | 330V Peak @ 1 HZ-100 Pulses |
| Current Draw | 1.2A @ 12V DC (ALL FLASH MODES) .7A @ 24V DC (ALL FLASH MODES) 1.5A @ 12V DC (TURN) .75A @ 24V DC (TURN) |

REGULATORY STANDARDS COMPLIANCE



| | |
|--|---------------------|
| Buy America Standards | Eco Friendly |
| IEC IP69K | SAE J1113-13 |
| SAE J1113-21 | SAE J1113-4 |
| SAE J588 | SAE J595 (Class II) |
| Tested to ECE Reg. 10 (Radiated Emissions only) | |

PHOTOMETRIC SPECIFICATIONS

| | |
|------------------------|---|
| Beam Pattern(s) | Signalization - Turn (Rear) Warning - Flashing Warning Warning - Strobe |
| Flash Rate 1 | 2 Flash |
| Flash Rate 2 | 4 Flash |
| Flash Rate 3 | 6 Flash |

Print date: 2024-07-27

© 2024 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

Heated Oval LED Signal Light - Model 274

APPLICATIONS



PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

ACCESSORIES



Part Number
4242891
Rubber Mounting
Grommet for Model
274



Part Number
5870261
Plastic Mounting
Flange for Model 274



Part Number
8200581
Steel L-Shaped
Mounting Bracket for
Model 274



Part Number
8200591
Chrome Plastic Trim
Ring for Model 274



Part Number
3270501
3-Pin AMP Connector
Wire Harness
Assembly

Heated Oval LED Signal Light - Model 274

RELATED PRODUCTS



Part Number
0346701
12-24V DOT LED
Heated Red Stop, Tail,
& Turn Light



Part Number
0346704
12-24V DOT LED
Heated Red Stop, Tail,
& Turn Light with
Harness



Part Number
0346711
12-24V DOT LED
Heated Amber Rear
Turn Light



Part Number
0346714
12-24V DOT LED
Heated Amber Rear
Turn Light with
Harness



Part Number
0346721
12-24V DOT LED
Heated White Reverse
Light



Part Number
0346724
12-24V DOT LED
Heated White Reverse
Light with Harness



Part Number
0346781
12-24V DOT LED
Heated Amber Front
Position & Front Turn
Signal Light



Part Number
0346784
12-24V DOT LED
Heated Amber Front
Position & Front Turn
Signal Light with
Harness