


LED Strobe Lights - Model 538

PRODUCT INFORMATION

Description	12-80V Amber Class III LED Strobe Light with Pipe Mount
Height	91.60 mm / 3.61 in
Width	70.80 mm / 2.79 in
Depth	70.80 mm / 2.79 in
Shape	Round
Outer Lens Material	Acrylic
Outer Lens Color	Clear
Housing Material	Polycarbonate
Housing Color	Black
Mounting Type	Pipe Mount
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Connector or Wiring	13.5" Bare Leads
Product Weight	0.00 lbs / 0 kgs
Shipping Weight	1.51 lbs / 0.68 kgs



PRODUCT DIMENSIONS



Print date: 2018-11-17

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
 Engineered. Lighting. Solutions.

LED Strobe Lights - Model 538

ELECTRICAL SPECIFICATIONS

Input Voltage	12-80VDCV DC
Operating Voltage	12-80VDCV DC
Red Wire	Positive
Black Wire	Negative
Current Draw	0.256A @ 12V DC 0.088A @ 48V DC 0.076A @ 80V DC

REGULATORY STANDARDS COMPLIANCE



Buy America Standards Eco Friendly
 UL Recognized

PHOTOMETRIC SPECIFICATIONS

Beam Pattern(s)	Warning - Strobe
Flash Rate 1	60 +/- 10 fpm

APPLICATIONS



Print date: 2018-11-17

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660



LED Strobe Lights - Model 538

RELATED PRODUCTS



Part Number
0646401
12-80V Red Class III
LED Strobe Light with
Pipe Mount



Part Number
0646411
12-80V Green Class III
LED Strobe Light with
Pipe Mount



Part Number
0646421
12-80V Blue Class III
LED Strobe Light with
Pipe Mount



Part Number
0646431
12-80V White Class III
LED Strobe Light with
Pipe Mount