


LED Strobe Lights - Model 601

PRODUCT INFORMATION

| | |
|--------------------------------------|--|
| Description | 12-24V ECE/SAE 3-Mode Red Class I LED Strobe Light |
| Height | 163.83 mm / 6.45 in |
| Width | 213.36 mm / 8.4 in |
| Depth | 213.36 mm / 8.4 in |
| Shape | Round |
| Outer Lens Material | Polycarbonate |
| Outer Lens Color | Red |
| Housing Material | Die-Cast Aluminum |
| Housing Color | Black |
| Mounting Type | Universal Mount |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 65 °C / 149 °F |
| Product Weight | 1.25 lbs / 0.57 kgs |



PRODUCT DIMENSIONS



Print date: 2017-09-24

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
 Engineered. Lighting. Solutions.

LED Strobe Lights - Model 601

ELECTRICAL SPECIFICATIONS

| | |
|----------------------|------------------------------|
| Input Voltage | 12-24V DC |
| Red Wire | Positive |
| Black Wire | Negative |
| White Wire | Mode Change |
| Current Draw | 3.7A @ 12V DC 2A @ 24V DC |

REGULATORY STANDARDS COMPLIANCE



Buy America Standards Eco Friendly
IEC IP67

PHOTOMETRIC SPECIFICATIONS

Beam Pattern(s) Warning - Strobe

APPLICATIONS



Print date: 2017-09-24

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Strobe Lights - Model 601

RELATED PRODUCTS



Part Number

0643151

12-24V ECE/SAE 3-
Mode Amber Class I
LED Strobe Light with
Black Housing