


# LED Tail Lights - Model 279

## PRODUCT INFORMATION

<b>Description</b>	12-24V DOT LED Tail Light - 2 Light Kit
<b>Height</b>	210.31 mm / 8.28 in
<b>Width</b>	153.67 mm / 6.05 in
<b>Depth</b>	87.12 mm / 3.43 in
<b>Shape</b>	Rectangular
<b>Outer Lens Material</b>	Acrylic
<b>Outer Lens Color</b>	Clear
<b>Housing Material</b>	Polycarbonate
<b>Housing Color</b>	Black
<b>Bezel Color</b>	Black
<b>Shipping Weight</b>	6.40 lbs / 2.9 kgs



## PRODUCT DIMENSIONS



Print date: 2018-04-22

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660


**J.W. SPEAKER**   
 Engineered. Lighting. Solutions.

# LED Tail Lights - Model 279

## ELECTRICAL SPECIFICATIONS

<b>Input Voltage</b>	12-24V AC
<b>Operating Voltage</b>	9-32V AC
<b>Black Wire</b>	Ground
<b>Purple Wire</b>	Tail
<b>Yellow Wire</b>	Stop
<b>Green Wire</b>	Reverse
<b>Current Draw</b>	0.370A @ 12V AC (Stop) 0.220A @ 24V AC (Stop) 0.100A @ 12V AC (Tail) 0.089A @ 24V AC (Tail) 0.130A @ 12V AC (Reverse) 0.100A @ 24V AC (Reverse)

## REGULATORY STANDARDS COMPLIANCE



Buy America Standards	Eco Friendly
FMVSS 108 Table IX	FMVSS 108 Table VII
FMVSS 108 Table VIII	FMVSS 108 Table X
FMVSS 108 Table XII	FMVSS 108 Table XVI
SAE J585	SAE J586
SAE J588	SAE J592

## PHOTOMETRIC SPECIFICATIONS

<b>Beam Pattern(s)</b>	Signalization - Stop Signalization - Tail Signalization - Turn (Rear)
------------------------	---

Print date: 2018-04-22

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

# LED Tail Lights - Model 279

## APPLICATIONS

---



## ACCESSORIES

---



**Part Number**

**8200231**

Mounting Kit for Model  
279 - 2 Light Kit

## RELATED PRODUCTS

---



**Part Number**

**0347563**

12-24V ECE LED Tail  
Light - 2 Light Kit

---

**Print date: 2018-04-22**

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660