

LED Work & Backup Lights - Model 905




PRODUCT INFORMATION

Description	12-24V ECE LED Backup & Work Light with Flood Beam Pattern (Horizontal)
Height	52.12 mm / 2.05 in
Width	274.50 mm / 10.81 in
Depth	14.14 mm / 0.56 in
Shape	Stylized
Outer Lens Material	Acrylic
Outer Lens Color	Clear
Housing Material	PC/ABS
Housing Color	Black
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	85 °C / 185 °F
Connector or Wiring	4-Pin Integrated connector JAE MX19/MX19A Series
Mating Connector	JAE MX19004S51
Product Weight	0.41 lbs / 0.19 kgs
Shipping Weight	0.41 lbs / 0.19 kgs



LED Work & Backup Lights - Model 905

PRODUCT DIMENSIONS



PIN	COLOR
PIN 1	RED
PIN 2	PLUG
PIN 3	WHITE
PIN 4	BLACK

LED Work & Backup Lights - Model 905

ELECTRICAL SPECIFICATIONS

Input Voltage	12-24V DC
Operating Voltage	9-32V DC
Red Wire	Work
White Wire	Backup
Black Wire	Ground
Current Draw	1.24A @ 12V DC (Worklamp) 0.17A @ 12V DC (Backup) 0.60A @ 24V DC (Worklamp) 0.19A @ 24V DC (Backup)

REGULATORY STANDARDS COMPLIANCE



ECE



IP67

ECE Reg 23

IEC IP67

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output	2800
Effective Lumen Output	1160
Candela Output	770
Nominal LED Color Temperature	4750 K
Beam Pattern(s)	Forward Lighting - Flood (Standard)

Print date: 2026-01-26

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Work & Backup Lights - Model 905

APPLICATIONS



Agriculture



Construction



Industrial



Material



Specialty



Truck & Bus

PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

Print date: 2026-01-26

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
Engineered. Lighting. Solutions.

LED Work & Backup Lights - Model 905

RELATED PRODUCTS



Part Number
1000161

12-24V LED Work Light
with Flood Beam
Pattern and Post
Mounted (Horizontal)

Part Number
1000391

12-24V LED Work Light
with Flood Beam
Pattern and Flange
Mounted (Horizontal)

Part Number
1000411

12-24V LED Work Light
with Flood Beam
Pattern and Flange
Mounted (Vertical)

Part Number
1000461

12-24V LED Work Light
with Scene Beam
Pattern and Flange
Mounted (Horizontal or
Vertical)

Part Number
1000471

12-24V LED Work Light
with Flood Beam
Pattern and Post
Mounted (Vertical)



Part Number
1000481

12-24V LED Work Light
with Scene Beam
Pattern and Post
Mounted (Horizontal or
Vertical)