LED Work & Backup Lights - Model 905

PRODUCT INFORMATION

Description 12-24V LED Work Light with Flood

Beam Pattern & Diffused Lens

 Height
 52.00 mm / 2.05 in

 Width
 274.40 mm / 10.8 in

 Depth
 28.70 mm / 1.13 in

Shape Stylized

Outer Lens Material ACRYLIC

Outer Lens Color CLEAR

Housing Material PC/ABS

Housing Color BLACK


Bezel Color NA

Product Weight 0.41 lbs / 0.19 kgs Shipping Weight 4.48 lbs / 2.03 kgs





PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage 12-24V DC
Operating Voltage 9-32V DC
Red Wire Power (+)
Black Wire Ground (-)

Current Draw 1.32A @ 12V DC (Worklamp)

0.64A @ 24V DC (Worklamp)

Print date: 2024-05-09

LED Work & Backup Lights - Model 905

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output 2800 **Effective Lumen** 1160


Output

Candela Output 770 **Nominal LED Color** 4750 K

Temperature

Beam Pattern(s) Forward Lighting - Flood

(Standard)



PRODUCT WARNINGS

For California residents:

▲ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov.

AVERTISSEMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

ACCESSORIES





Part Number 8200921

Pedestal Mount for Model 260 SAE and 905 Part Number 8200931

Panel Mount for Model 260 SAE and 905



LED Work & Backup Lights - Model 905

RELATED PRODUCTS





Part Number 0443601

12-24V LED Backup & Work Light with Flood Beam Pattern Part Number 1000161

12-24V LED Work Light with Flood Beam Pattern

