PART NUMBER 1604301

LED Work Light - Model 790 XD


PRODUCT INFORMATION

Description	12/24V LED Work Lamp w/ Amp
Height	100.12 mm / 3.94 in
Width	122.86 mm / 4.84 in
Depth	38.5 mm / 1.52 in
Shape	Rectangular
Outer Lens Material	Polycarbonate
Outer Lens Color	Clear
Housing Material	Polycarbonate
Housing Color	Black
Mounting Hardware Description	(x1) M6-1X35, M6-1, M8-1.25X25, M8-1.25
Mounting Type	Universal Pedestal Mount
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	84 °C / 183.2 °F
Mating Connector	AMP Superseal 282080-1
Product Weight	0.54 lbs / 0.24 kgs
Shipping Weight	0.1 lbs / 0.05 kgs





PRODUCT DIMENSIONS



© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.

PART NUMBER 1604301

LED Work Light - Model 790 XD

ELECTRICAL SPECIFICATIONS

Input Voltage	12/24V AC
Operating Voltage	9 - 32V AC
Polarity Neutral Wire	Power can be applied to either pin
Current Draw	0.67A @ 13.5V AC 0.38A @ 24V AC

REGULATORY STANDARDS COMPLIANCE




CE Recognized

IEC IP67


IEC IP69K

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output	1043
Effective Lumen Output	800
Candela Output	398
Nominal LED Color Temperature	5700 K
Beam Pattern(s)	Forward Lighting - Flood (Wide)



APPLICATIONS



Print date: 2026-11-22

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.

www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER® Engineered. Lighting. Solutions.

LED Work Light - Model 790 XD

PRODUCT WARNINGS

For California residents:
⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.
⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

RELATED PRODUCTS



Part Number 1604311
12/24V LED Work Lamp w/ Deutsch

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER® Engineered. Lighting. Solutions.