LED Work Light - Model 791

PRODUCT INFORMATION

 Description
 12-24V LED Driving Light

 Height
 48.00 mm / 1.89 in

 Width
 150.00 mm / 5.91 in

 Depth
 62.90 mm / 2.48 in

Shape Rectangular
Outer Lens Material Polycarbonate

Outer Lens ColorClearHousing MaterialAluminumHousing ColorBlackBezel ColorChrome

Mounting Hardware (x1) 8mm-20 x 25mm Bracket

Description

Mounting Type Pedestal

Minimum Operating -40 °C / -40 °F

Temperature

Maximum Operating $65 \, ^{\circ}\text{C} \, / \, 149 \, ^{\circ}\text{F}$

Temperature


Connector or WiringDeutsch DT04-2PMating ConnectorDeutsch DT06-2SProduct Weight0.91 lbs / 0.41 kgsShipping Weight1.10 lbs / 0.5 kgs





LED Work Light - Model 791

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage12-24V DCOperating Voltage9-32V DC

Transient Spike Protection 150V Peak @ 1 HZ-100 Pulses

Current Draw 1.27A @ 12V DC 0.78A @ 24V DC

REGULATORY STANDARDS COMPLIANCE







Buy America Standards IEC IP67

Eco Friendly

Print date: 2025-11-01



Driving Beam (1m high at 0°)

LED Work Light - Model 791

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output 1,820 **Effective Lumen** 1,150


Output

Nominal LED Color

Temperature

Beam Pattern(s) Forward Lighting - Driving

5000 K



APPLICATIONS















100m

50m

150m



200m

PRODUCT WARNINGS

For California residents:


▲ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov.

▲ AVERTISSEMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

ACCESSORIES



Part Number 8201241 DIN Pole Mount for Work Lights





LED Work Light - Model 791

RELATED PRODUCTS







Part Number 1603601 12V DOT/ECE LED Fog Light



Part Number 1603603 12V DOT/ECE LED Fog Light - 2 Light Kit