

LED Work Light - Model 4415

PRODUCT INFORMATION

| | |
|--------------------------------------|--|
| Description | 12-24V LED Work Light with Spot Pattern & Side View Mirror Mount - 2 Light Kit |
| Height | 110.00 mm / 4.33 in |
| Width | 85.20 mm / 3.35 in |
| Depth | 21.10 mm / 0.83 in |
| Shape | Round |
| Outer Lens Material | Polycarbonate |
| Housing Material | Die-Cast Aluminum |
| Housing Color | Black |
| Mounting Hardware Description | (x2) 0.500-13 x Bracket and Swivel |
| Mounting Type | Pedestal |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 85 °C / 185 °F |
| Connector or Wiring | Packard# 12084167 |
| Mating Connector | Packard# 12059183 |
| Product Weight | 0.00 lbs / 0 kgs |
| Shipping Weight | 2.30 lbs / 1.04 kgs |
| Additional Information | Kit includes 2 lights and necessary mounting hardware. |




Print date: 2019-02-17

© 2019 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
 Engineered. Lighting. Solutions.

LED Work Light - Model 4415

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

| | |
|--------------------------|----------------------------|
| Input Voltage | 12-24 V |
| Operating Voltage | 10-32 V |
| Red Wire | Positive |
| Black Wire | Negative |
| Current Draw | 2.20A @ 12V 1.10A @ 24V |

REGULATORY STANDARDS COMPLIANCE



Buy America Standards
IEC IP67

Eco Friendly

Print date: 2019-02-17


© 2019 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.

LED Work Light - Model 4415

PHOTOMETRIC SPECIFICATIONS

| | |
|--------------------------------------|-------------------------|
| Raw Lumen Output | 2,450 |
| Effective Lumen Output | 1,350 |
| Nominal LED Color Temperature | 5000 K |
| Beam Pattern(s) | Forward Lighting - Spot |



APPLICATIONS



INSTALLATION & APPLICATION INFORMATION

This kit is intended to be mounted on the side mirrors or forward of the driver with the shroud (snoot) oriented to block the light from the driver / operator's eyes, providing maximum visibility rearward.

The kit can also be mounted elsewhere on the truck, such as on the back or side of a sleeper cab, to provide additional lighting.

Print date: 2019-02-17

© 2019 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Work Light - Model 4415

ACCESSORIES



Part Number
6149203
A-Pillar Mounting Kit
for Jeep JK



Part Number
6149233
A-Pillar Mounting Kit
for Jeep TJ

RELATED PRODUCTS



Part Number
0549841
12-24V LED Work Light
with Trapezoid Pattern



Part Number
0551001
12-24V LED Work Light
with Spot Pattern



Part Number
0555341
12-24V LED Work Light
with Spot Pattern &
Panel Mount



Part Number
0555411
12-24V LED Work Light
with Flood Pattern &
Harness



Part Number
0555461
12-24V LED Work Light
with Flood Pattern &
Panel Mount