

LED Work Light - Model 783 XD

PRODUCT INFORMATION

| | |
|--------------------------------------|--|
| Description | 12-48V LED Work Light with Flood Beam Pattern & Mounting Bracket |
| Height | 54.10 mm / 2.13 in |
| Width | 169.67 mm / 6.68 in |
| Depth | 45.21 mm / 1.78 in |
| Shape | Rectangle |
| Outer Lens Material | Polycarbonate |
| Outer Lens Color | Clear |
| Housing Material | Polycarbonate |
| Housing Color | Black |
| Mounting Hardware Description | (x1) 3/8"-16 x 1.5" Mounting Bolt |
| Mounting Type | Universal Mount |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 65 °C / 149 °F |
| Connector or Wiring | Integral DT04-2P |
| Mating Connector | Deutsch DT06-2S |
| Product Weight | 0.71 lbs / 0.32 kgs |
| Shipping Weight | 3.40 lbs / 1.54 kgs |




Print date: 2026-04-01

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
Engineered. Lighting. Solutions.

LED Work Light - Model 783 XD

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

| | |
|-----------------------------------|--|
| Input Voltage | 12-48V DC |
| Operating Voltage | 9-60V DC |
| Transient Spike Protection | 330V Peak @ 1 HZ-100 Pulses |
| Red Wire | Positive |
| Black Wire | Negative |
| Current Draw | 1.00A @ 12V DC (Flood) 0.50A @ 24V DC (Flood) 0.30A @ 36V DC (Flood) 0.25A @ 48V DC (Flood) |

REGULATORY STANDARDS COMPLIANCE



Buy America Standards
IEC IP67

Eco Friendly
UL Recognized


Print date: 2026-04-01

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Work Light - Model 783 XD

PHOTOMETRIC SPECIFICATIONS

| | |
|--------------------------------------|-----------------------------------|
| Raw Lumen Output | 675 |
| Effective Lumen Output | 485 |
| Candela Output | 1,409 |
| Nominal LED Color Temperature | 5000 K |
| Beam Pattern(s) | Forward Lighting - Flood (Medium) |



APPLICATIONS



PRODUCT WARNINGS

For California residents:

⚠️ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠️ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

Print date: 2026-04-01

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
 Engineered. Lighting. Solutions.

LED Work Light - Model 783 XD

RELATED PRODUCTS



Part Number
1603451

12-48V LED Work Light
with Vertical Flood
Beam Pattern &
Mounting Bracket