LED Scene Work Lights - Model 523

PRODUCT INFORMATION

Description 12-24V LED Work Light with Narrow

Flood Beam Pattern & Yellow Housing

Height 177.55 mm / 6.99 in Width 253.75 mm / 9.99 in Depth 88.90 mm / 3.5 in **Shape** Rectangular

Outer Lens Material Glass **Outer Lens Color** Clear

Housing Material Die-Cast Aluminum

Housing Color Yellow

Mounting Hardware (x1) 1/2"-Mounting Bolt

Description

Mounting Type Universal Pedestal Mount

Integrated 2-Pin Deutsch Weather-Proof **Connector or Wiring**


Socket (DT04-2P)


Product Weight 6.72 lbs / 3.05 kgs **Shipping Weight** 8.40 lbs / 3.81 kgs





PRODUCT DIMENSIONS





LED Scene Work Lights - Model 523

ELECTRICAL SPECIFICATIONS

Input Voltage12-24V DCOperating Voltage9-32V DC

Transient Spike Protection 150V Peak @ 1 HZ-10 Pulses

Red Wire Positive
Black Wire Negative

Current Draw 6.70A @ 12V DC 3.70A @ 24V DC

REGULATORY STANDARDS COMPLIANCE







Buy America Standards

Eco Friendly

IEC IP69K

PHOTOMETRIC SPECIFICATIONS


Raw Lumen Output 8,100 **Effective Lumen** 3,900

Output

Nominal LED Color 5000 K

Temperature

Beam Pattern(s) Forward Lighting - Flood (Narrow)





LED Scene Work Lights - Model 523

APPLICATIONS

















PRODUCT WARNINGS

For California residents:

▲ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov.

AVERTISSEMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

RELATED PRODUCTS



Part Number 0551431 12-24V LED Work Light 12-24V LED Work Light 24V LED with Wide with Medium Flood Beam Pattern



Part Number 0551451 with Wide Flood Beam Flood Beam Pattern Pattern



Part Number 0557931