


LED Work Light - Model 526

PRODUCT INFORMATION

| | |
|--------------------------------------|--|
| Description | 12-24V LED Work Light with Yellow Housing, Glass Lens & Flood Beam Pattern |
| Height | 160.02 mm / 6.3 in |
| Width | 157.48 mm / 6.2 in |
| Depth | 96.52 mm / 3.8 in |
| Shape | Square |
| Outer Lens Material | Glass |
| Outer Lens Color | Clear |
| Housing Material | Die-Cast Aluminum |
| Housing Color | Yellow |
| Mounting Hardware Description | (x1) M10-1.5 x 25 Mounting Bolt |
| Mounting Type | Universal Pedestal Mount |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 65 °C / 149 °F |
| Connector or Wiring | iCONN Connector - iMATE23 |
| Product Weight | 4.50 lbs / 2.04 kgs |



PRODUCT DIMENSIONS



Print date: 2017-09-26

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
 Engineered. Lighting. Solutions.

LED Work Light - Model 526

ELECTRICAL SPECIFICATIONS

| | |
|-----------------------------------|----------------------------------|
| Input Voltage | 12-24V DC |
| Operating Voltage | 10-32V DC |
| Transient Spike Protection | 150V Peak @ 1 HZ-100 Pulses |
| Red Wire | Positive |
| Black Wire | Negative |
| Current Draw | 9.00A @ 12V DC 5.00A @ 24V DC |

REGULATORY STANDARDS COMPLIANCE




Buy America Standards
IEC IP69K

Eco Friendly

PHOTOMETRIC SPECIFICATIONS

| | |
|--------------------------------------|-------------------------------------|
| Raw Lumen Output | 9,000 |
| Effective Lumen Output | 5,800 |
| Nominal LED Color Temperature | 5700 K |
| Beam Pattern(s) | Forward Lighting - Flood (Standard) |



Print date: 2017-09-26

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
Engineered. Lighting. Solutions.

LED Work Light - Model 526

APPLICATIONS



RELATED PRODUCTS



Part Number
1300051

12-24V LED Work Light with Yellow Housing, Glass Lens & Anti-Glare Beam Pattern



Part Number
1300071

12-24V LED Work Light with Yellow Housing, Glass Lens & Trapezoid Beam Pattern



Part Number
1300081

12-24V LED Work Light with Yellow Housing, Glass Lens & Spot Beam Pattern



Part Number
1300191

12-24V LED Work Light with Yellow Housing, Polycarbonate Lens & Anti-Glare Beam Pattern



Part Number
1300201

12-24V LED Work Light with Yellow Housing, Polycarbonate Lens & Flood Beam Pattern



Part Number
1300211

12-24V LED Work Light with Yellow Housing, Polycarbonate Lens & Trapezoid Beam Pattern



Part Number
1300221

12-24V LED Work Light with Yellow Housing, Polycarbonate Lens & Spot Beam Pattern



Part Number
1300431

12-24V LED Work Light with Black Housing, Polycarbonate Lens & Flood Beam Pattern

Print date: 2017-09-26

© 2017 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
Engineered. Lighting. Solutions.