PART NUMBER 1300751

# LED Work Light - Model 526

## PRODUCT INFORMATION

| | |
|---|---|
| **Description** | 12V LED Work Light with Yellow Housing, Polycarbonate Lens & Dual White Anti-Glare Pattern |
| **Height** | 140.00 mm / 5.51 in |
| **Width** | 158.00 mm / 6.22 in |
| **Depth** | 98.00 mm / 3.86 in |
| **Shape** | Rectangular |
| **Outer Lens Material** | Polycarbonate |
| **Outer Lens Color** | Clear |
| **Housing Material** | Die Cast Aluminum |
| **Housing Color** | Yellow |
| **Mounting Hardware Description** | (x1) M10-1.5 x 25 Universal Pedestal Mount |
| **Minimum Operating Temperature** | -40 °C / -40 °F |
| **Maximum Operating Temperature** | 65 °C / 149 °F |
| **Connector or Wiring** | iCONN Connector - iMATE23 |
| **Product Weight** | 4.60 lbs / 2.09 kgs |
| **Shipping Weight** | 4.88 lbs / 2.21 kgs |



MODEL 526

**Print date: 2026-11-18**

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.


www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER® Engineered. Lighting. Solutions.

**PART NUMBER 1300751**

# LED Work Light - Model 526

## PRODUCT DIMENSIONS




| WIRE COLOR | FUNCTION | FUNCTION |
|---|---|---|
| BLACK | GROUND | - |
| WHITE | COOL WHITE | 5000 K |
| GREEN | WARM WHITE | 2800 K |

## ELECTRICAL SPECIFICATIONS

| | |
|---|---|
| **Input Voltage** | 9-16VV DC |
| **Operating Voltage** | 12VV DC |
| **Black Wire** | Ground |
| **White Wire** | Cool White |
| **Green Wire** | Warm White |
| **Current Draw** | 5.6A @ 12V DC (Warm White)<br>5.6A @ 12V DC (Cool White) |

## REGULATORY STANDARDS COMPLIANCE




IEC IP69K

**Print date: 2026-11-18**

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.

www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660


J.W. SPEAKER® Engineered. Lighting. Solutions.


PART NUMBER 1300751

# LED Work Light - Model 526

## PHOTOMETRIC SPECIFICATIONS

| | |
|---|---|
| **Raw Lumen Output** | (warm) 8150, (cool) 8600 |
| **Effective Lumen Output** | (warm) 2100, (cool) 2200 |
| **Candela Output** | (warm) 3000, (cool) 3200 |
| **Beam Pattern(s)** | Forward Lighting - Dual Beam |




## APPLICATIONS




**Print date: 2026-11-18**

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.

www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER® Engineered. Lighting. Solutions.

# LED Work Light - Model 526

## PRODUCT WARNINGS

For California residents:
⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.
⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

## ACCESSORIES



**Part Number 3267541**
12" 18AWG iCONN iMATE 23 Wire Asm w/DT04-2P



**Part Number 3268191**
15M 18AWG iCONN iMATE 23 Wire Asm w/DT04-2P



**Part Number 3268201**
2.5M 18AWG iCONN iMATE 23 Wire Asm w/DT04-2P

**Print date: 2026-11-18**
© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER® Engineered. Lighting. Solutions.

# LED Work Light - Model 526

## RELATED PRODUCTS



**Part Number 1300571**
24V LED Work Light with Yellow Housing, Polycarbonate Lens & Dual White Anti-Glare Pattern



**Part Number 1300581**
24V LED Work Light with Black Housing, Polycarbonate Lens & Flood Beam Pattern



**Part Number 1300591**
24V LED Work Light with Black Housing, Polycarbonate Lens & Trapezoid Beam Pattern



**Part Number 1300601**
24V Anti-Glare Beam Pattern w/ Polycarbonate Lens



**Part Number 1300641**
24V LED Work Light with Black Housing, Polycarbonate Lens & Dual White Anti-Glare Pattern



**Part Number 1300711**
24V LED Work Light with Black Housing, Polycarbonate Lens & Spot Beam Pattern



**Part Number 1300721**
12V LED Work Light with Black Housing, Polycarbonate Lens & Flood Beam Pattern



**Part Number 1300741**
12V LED Work Light with Black Housing, Polycarbonate Lens & Anti-Glare Pattern

**Print date: 2026-11-18**
© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER® Engineered. Lighting. Solutions.