
### **PRODUCT INFORMATION**

Description	12V LED Work Light with Glass Lens & Trapezoid Beam Pattern	
Height	113.03 mm / 4.45 in	
Width	113.03 mm / 4.45 in	and the second
Depth	43.18 mm / 1.7 in	
Shape	Round	
Outer Lens Material	Glass	
Outer Lens Color	Clear	
Housing Material	Die-Cast Aluminum	
Housing Color	Black	
Retrofits	PAR36 Worklights	
Minimum Operating Temperature	-40 °C / -40 °F	
Maximum Operating Temperature	65 °C / 149 °F	
Connector or Wiring	Blade Terminals (Ring Terminal Adaptors Provided)	
Mating Connector	0.25" Blade, #6 Ring Terminal, #8 Ring Terminal	
Product Weight	0.69 lbs / 0.31 kgs	
Shipping Weight	1.84 lbs / 0.83 kgs	



### **PRODUCT DIMENSIONS**




### **ELECTRICAL SPECIFICATIONS**

Input Voltage	12V DC
Operating Voltage	10-15V DC
Transient Spike Protection	150V Peak @ 1 HZ-100 Pulses
Red Wire	Positive
Black Wire	Negative
Current Draw	2.00 MaxA @ 12V DC

#### **REGULATORY STANDARDS COMPLIANCE**




Buy America Standards IEC IP66 Eco Friendly





### **PHOTOMETRIC SPECIFICATIONS**



### **PRODUCT WARNINGS**

For California residents:

**WARNING:** Cancer and reproductive harm - <u>www.P65Warnings.ca.gov</u>.

AVERTISSEMENT: Cancer et effet nocif sur la reproduction - <u>www.P65Warnings.ca.gov</u>.



### **RELATED PRODUCTS**



**Part Number** 3157291 12V LED Work Light with Glass Lens & Flood Beam Pattern



**Part Number** 3157471 12-48V LED Work Light 12-48V LED Work Light 12-48V LED Work Light with Polycarbonate Lens & Flood Beam Pattern



**Part Number** 3157481 with Polycarbonate Lens & Trapezoid Beam Pattern



**Part Number** 3157491 with Polycarbonate Lens & Spot Beam Pattern



**Part Number** 3157581 12-48V LED Work Light with Glass Lens & Spot Beam Pattern



Part Number 3157591

with Glass Lens & Trapezoid Beam Pattern



Part Number 3157601 12-48V LED Work Light 12-48V LED Work Light 12V LED Work Light with Glass Lens & Flood Beam Pattern



Part Number 8000111 with Polycarbonate Lens & Flood Beam

Pattern

