LED Work Light - Model 623

PRODUCT INFORMATION

Description 16-60V LED Work Light with Narrow

Flood Beam Pattern

 Height
 216.41 mm / 8.52 in

 Width
 498.60 mm / 19.63 in

 Depth
 88.90 mm / 3.5 in

 Shape
 Rectangular

Outer Lens MaterialGlassOuter Lens ColorClear

Housing Material Die-Cast Aluminum

Housing Color Black

Mounting Type Universal Pedestal Mount

Minimum Operating -40 °C / -40 °F

Temperature

Maximum Operating $65 \, ^{\circ}\text{C} \, / \, 149 \, ^{\circ}\text{F}$


Temperature

Product Weight 18.00 lbs / 8.16 kgs **Shipping Weight** 19.63 lbs / 8.9 kgs

Additional Information Wire Harness: SJ000W 6m Harness



PRODUCT DIMENSIONS





LED Work Light - Model 623

ELECTRICAL SPECIFICATIONS

Input Voltage 24-48V DC **Operating Voltage** 16-60V DC

Transient Spike Protection 150V peak @ 1 HZ-100 Pulses

Current Draw 10A @ 24V DC 5A @ 48V DC

REGULATORY STANDARDS COMPLIANCE









Buy America Standards Eco Friendly IEC IP67 IEC IP69K

PHOTOMETRIC SPECIFICATIONS


Raw Lumen Output 40,000 Effective Lumen 20.000

Output

Nominal LED Color 5700 K

Temperature

Beam Pattern(s) Forward Lighting - Flood (Narrow)




APPLICATIONS











LED Work Light - Model 623

PRODUCT WARNINGS

For California residents:

▲ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov.

AVERTISSEMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

RELATED PRODUCTS





Part Number 0546681

16-60V LED Work Light 16-60V LED Work Light with Medium Flood Beam Pattern

Part Number 0546691

with Wide Flood Beam Pattern