## LED Work Light - Model 623

#### PRODUCT INFORMATION

**Description** 16-60V LED Work Light with Wide Flood

Beam Pattern

 Height
 216.41 mm / 8.52 in

 Width
 498.60 mm / 19.63 in

 Depth
 88.90 mm / 3.5 in

 Shape
 Rectangular

Outer Lens MaterialGlassOuter Lens ColorClear

Housing Material Die-Cast Aluminum

Housing Color Black

Mounting Type Universal Pedestal Mount

**Minimum Operating**  $-40 \, ^{\circ}\text{C} \, / \, -40 \, ^{\circ}\text{F}$ 

**Temperature** 

**Maximum Operating**  $65 \, ^{\circ}\text{C} \, / \, 149 \, ^{\circ}\text{F}$ 


Temperature

**Product Weight** 18.00 lbs / 8.16 kgs **Shipping Weight** 19.63 lbs / 8.9 kgs

Additional Information Wire Harness: SJ000W 6m Harness



#### **PRODUCT DIMENSIONS**





### LED Work Light - Model 623

### **ELECTRICAL SPECIFICATIONS**

**Input Voltage** 24-48V DC **Operating Voltage** 16-60V DC

**Transient Spike Protection** 150V peak @ 1 HZ-100 Pulses

**Current Draw** 10A @ 24V DC 5A @ 48V DC

#### REGULATORY STANDARDS COMPLIANCE









Buy America Standards Eco Friendly IEC IP67 IEC IP69K

#### PHOTOMETRIC SPECIFICATIONS


Raw Lumen Output 40,000 Effective Lumen 20,000

Output

Nominal LED Color 5700 K

**Temperature** 

**Beam Pattern(s)** Forward Lighting - Flood (Wide)



#### **APPLICATIONS**







Print date: 2025-11-08



# LED Work Light - Model 623

#### **PRODUCT WARNINGS**

For California residents:

▲ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov.

AVERTISSEMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

#### **RELATED PRODUCTS**





**Part Number** 0546671

16-60V LED Work Light 16-60V LED Work Light with Narrow Flood Beam Pattern

**Part Number** 0546681

with Medium Flood Beam Pattern

