
## LED Work Light - Model 623

### **PRODUCT INFORMATION**

Description	16-60V LED Work Light with Wide Flood Beam Pattern	
Height	216.41 mm / 8.52 in	
Width	498.60 mm / 19.63 in	
Depth	88.90 mm / 3.5 in	e
Shape	Rectangular	
Outer Lens Material	Glass	
Outer Lens Color	Clear	
Housing Material	Die-Cast Aluminum	
Housing Color	Black	
Mounting Type	Universal Pedestal Mount	
Minimum Operating Temperature	-40 °C / -40 °F	
Maximum Operating Temperature	65 °C / 149 °F	
Product Weight	18.00 lbs / 8.16 kgs	
Shipping Weight	19.63 lbs / 8.9 kgs	
Additional Information	Wire Harness: SJ000W 6m Harness	

### **PRODUCT DIMENSIONS**





## LED Work Light - Model 623

### **ELECTRICAL SPECIFICATIONS**

Input Voltage	
Operating Voltage	
Transient Spike Protection	
Current Draw	


24-48V DC 16-60V DC 150V peak @ 1 HZ-100 Pulses 10A @ 24V DC 5A @ 48V DC

### **REGULATORY STANDARDS COMPLIANCE**



Buy America Standards IEC IP67 Eco Friendly IEC IP69K

#### PHOTOMETRIC SPECIFICATIONS



#### **APPLICATIONS**



Print date: 2024-04-25 © 2024 J.W. Speaker Corporation • Germantown, WI U.S.A. www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660



# LED Work Light - Model 623

### **PRODUCT WARNINGS**

For California residents:

**WARNING:** Cancer and reproductive harm - <u>www.P65Warnings.ca.gov</u>.

**AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - <u>www.P65Warnings.ca.gov</u>.

### **RELATED PRODUCTS**



with Narrow Flood

Beam Pattern

Part Number <u>0546671</u>



Part Number <u>0546681</u> 16-60V LED Work Light 16-60V LED Work Light with Medium Flood Beam Pattern

