PART NUMBER 1403291

LED Heated and Non Heated Work Lights - Model 670 XD

PRODUCT INFORMATION

Description	12-110V Non-Heated LED Work Light with Flood Beam Pattern
Height	162.31 mm / 6.39 in
Width	123.95 mm / 4.88 in
Depth	52.58 mm / 2.07 in
Shape	Round
Outer Lens Material	Polycarbonate
Outer Lens Color	Clear
Housing Material	Polycarbonate
Housing Color	Black
Mounting Hardware Description	(x1) M8-1.25 x 20mm Mounting Bolt
Mounting Type	Universal Pedestal Mount
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Connector or Wiring	Integrated 2-Pin Deutsch Weather-Proof Socket (DT04-2P)
Mating Connector	2-Pin Deutsch Weather-Proof Plug (DT06-2S)
Product Weight	1.52 lbs / 0.69 kgs
Shipping Weight	1.40 lbs / 0.64 kgs



670 XD SERIES

Print date: 2026-11-12

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.


www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660


J.W. SPEAKER® Engineered. Lighting. Solutions.

PART NUMBER 1403291

LED Heated and Non Heated Work Lights - Model 670 XD

PRODUCT DIMENSIONS





CONNECTOR KIT NOT ASSEMBLED TO LAMP
INCLUDED IN CARTON FOR CUSTOMER USE

WIRE UL 18	FUNCTION
PIN 1	GROUND
PIN 2	POWER

ELECTRICAL SPECIFICATIONS

Input Voltage	12-110V DC
Operating Voltage	10-130V DC
Transient Spike Protection	330V Peak @ 1 HZ-100 Pulses
Current Draw	1.3A @ 12V DC 0.6A @ 24V DC 0.2A @ 110V DC

Print date: 2026-11-12

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.

www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER® Engineered. Lighting. Solutions.

PART NUMBER 1403291

LED Heated and Non Heated Work Lights - Model 670 XD


REGULATORY STANDARDS COMPLIANCE



Buy America Standards
CISPR 22
IEC IP69K
UL Recognized
CISPR 12
Eco Friendly
SAE J1113-13

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output	1,080
Effective Lumen Output	780
Nominal LED Color Temperature	5000 K
Beam Pattern(s)	Forward Lighting - Flood (Standard)



APPLICATIONS



Print date: 2026-11-12

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.

www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER® Engineered. Lighting. Solutions.

LED Heated and Non Heated Work Lights - Model 670 XD

PRODUCT WARNINGS

For California residents:
⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.
⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

RELATED PRODUCTS



Part Number 1403241
12-24V Non-Heated LED Work Light with Flood Beam Pattern



Part Number 1403251
12-24V Non-Heated LED Work Light with Trapezoid Beam Pattern



Part Number 1403261
12-24V Non-Heated LED Work Light with Spot Beam Pattern



Part Number 1403271
12-110V Non-Heated LED Work Light with Trapezoid Beam Pattern



Part Number 1403281
12-110V Non-Heated LED Work Light with Spot Beam Pattern



Part Number 1403471
12-24V LED Heated Work Light with Flood Beam Pattern



Part Number 1403481
12-24V LED Heated Work Light with Spot Beam Pattern



Part Number 1403491
12-24V LED Heated Amber Work Light with Flood Beam Pattern

Print date: 2026-11-12
© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER® Engineered. Lighting. Solutions.