

LED Work Light - Model 735

PRODUCT INFORMATION

| | |
|--------------------------------------|---|
| Description | 12-24V LED Work Light with Trapezoid Beam Pattern |
| Height | 137.16 mm / 5.4 in |
| Width | 144.27 mm / 5.68 in |
| Depth | 66.04 mm / 2.6 in |
| Shape | Oval |
| Outer Lens Material | Polycarbonate |
| Outer Lens Color | Clear |
| Housing Material | Die-Cast Aluminum |
| Housing Color | Black |
| Mounting Hardware Description | (x1) 5/16"-18 x 0.58" Mounting Bolt |
| Mounting Type | Universal Pedestal Mount |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 65 °C / 149 °F |
| Connector or Wiring | Integrated 2-Pin Deutsch Weather-Proof Socket (DT04-2P) |
| Mating Connector | 2-Pin Deutsch Weather-Proof Plug (DT06-2S) |
| Product Weight | 1.87 lbs / 0.85 kgs |
| Shipping Weight | 1.87 lbs / 0.85 kgs |



Print date: 2026-04-29

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
 Engineered. Lighting. Solutions.

LED Work Light - Model 735

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

| | |
|--------------------------|----------------------------------|
| Input Voltage | 12-24V DC |
| Operating Voltage | 10-36V DC |
| Red Wire | Positive |
| Black Wire | Negative |
| Current Draw | 3.50A @ 12V DC 1.75A @ 24V DC |

REGULATORY STANDARDS COMPLIANCE



Buy America Standards
IEC IP69K

Eco Friendly

Print date: 2026-04-29


© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.

LED Work Light - Model 735

PHOTOMETRIC SPECIFICATIONS

| | |
|--------------------------------------|------------------------------|
| Raw Lumen Output | 3,900 |
| Effective Lumen Output | 2,700 |
| Nominal LED Color Temperature | 5700 K |
| Beam Pattern(s) | Forward Lighting - Trapezoid |



APPLICATIONS



PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

Print date: 2026-04-29

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.

LED Work Light - Model 735

RELATED PRODUCTS



Part Number
1706571

12-24V LED Work Light with Spot Beam Pattern



Part Number
1706591

12-24V LED Work Light with Flood Beam Pattern



Part Number
1706801

12-24V LED Work Light with Amber Lens & Trapezoid Beam Pattern



Part Number
1706811

12-24V LED Work Light with Trapezoid Beam Pattern & PE12015792 Connector



Part Number
1706821

12-24V LED Work Light with Spot Beam Pattern & PE12015792 Connector



Part Number
1707031

12-24V LED Work Light with Flood Beam Pattern & PE12015792 Connector - No Sleeve



Part Number
1707041

12-24V LED Work Light with Trapezoid Beam Pattern & PE12015792 Connector - No Sleeve



Part Number
1707051

12-24V LED Work Light with Spot Beam Pattern & PE12015792 Connector - No Sleeve