

LED Work Light - Model 735

PRODUCT INFORMATION

| | |
|--------------------------------------|---------------------------------------------------------------------|
| Description | 12-24V LED Work Light with Spot Beam Pattern & PE12015792 Connector |
| Height | 137.16 mm / 5.4 in |
| Width | 144.27 mm / 5.68 in |
| Depth | 66.04 mm / 2.6 in |
| Shape | Oval |
| Outer Lens Material | Polycarbonate |
| Outer Lens Color | Clear |
| Housing Material | Die-Cast Aluminum |
| Housing Color | Black |
| Mounting Hardware Description | (x1) 5/16"-18 x 0.58" Mounting Bolt |
| Mounting Type | Universal Pedestal Mount |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 65 °C / 149 °F |
| Connector or Wiring | Integrated 2-Pin Deutsch Weather-Proof Socket (DT04-2P) |
| Mating Connector | 2-Pin Deutsch Weather-Proof Plug (DT06-2S) |
| Product Weight | 1.87 lbs / 0.85 kgs |
| Shipping Weight | 1.87 lbs / 0.85 kgs |




Print date: 2025-09-16

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
Engineered. Lighting. Solutions.

LED Work Light - Model 735

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

| | |
|--------------------------|----------------------------------|
| Input Voltage | 12-24V DC |
| Operating Voltage | 10-36V DC |
| Red Wire | Positive |
| Black Wire | Negative |
| Current Draw | 3.50A @ 12V DC 1.75A @ 24V DC |

REGULATORY STANDARDS COMPLIANCE



Buy America Standards
IEC IP67
SAE J1113-13

Eco Friendly
IEC IP69K

Print date: 2025-09-16

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
Engineered. Lighting. Solutions.

LED Work Light - Model 735

PHOTOMETRIC SPECIFICATIONS

| | |
|-------------------------------|-------------------------|
| Raw Lumen Output | 3,900 |
| Effective Lumen Output | 2,600 |
| Nominal LED Color Temperature | 5700 K |
| Beam Pattern(s) | Forward Lighting - Spot |

APPLICATIONS



PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

Print date: 2025-09-16

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
Engineered. Lighting. Solutions.

LED Work Light - Model 735

RELATED PRODUCTS



Part Number
1706571

12-24V LED Work Light
with Spot Beam
Pattern



Part Number
1706581

12-24V LED Work Light
with Trapezoid Beam
Pattern



Part Number
1706591

12-24V LED Work Light
with Flood Beam
Pattern



Part Number
1706801

12-24V LED Work Light
with Amber Lens &
Trapezoid Beam
Pattern



Part Number
1706811

12-24V LED Work Light
with Trapezoid Beam
Pattern & PE12015792
Connector



Part Number
1707031

12-24V LED Work Light
with Flood Beam
Pattern & PE12015792
Connector - No Sleeve



Part Number
1707041

12-24V LED Work Light
with Trapezoid Beam
Pattern & PE12015792
Connector - No Sleeve



Part Number
1707051

12-24V LED Work Light
with Spot Beam
Pattern & PE12015792
Connector - No Sleeve