PRODUCT INFORMATION


Description	12V LED Work Light Pattern & DT04-2P
Height	137.16 mm / 5.4 in
Width	144.02 mm / 5.67 ii
Depth	56.90 mm / 2.24 in
Shape	Oval
Outer Lens Material	Polycarbonate
Outer Lens Color	Clear
Housing Material	Polycarbonate
Housing Color	Black
Mounting Hardware Description	(x1) 5/16"-18 x 1.2
Mounting Type	Universal Pedestal
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Connector or Wiring	Integrated 2-Pin De Socket (DT04-2P)
Mating Connector	2-Pin Deutsch Weat (DT06-2S)
Product Weight	0.86 lbs / 0.39 kgs
Shipping Weight	15.00 lbs / 6.8 kgs

12V LED Work Light with Flood Beam Pattern & DT04-2P Connector 137.16 mm / 5.4 in 144.02 mm / 5.67 in 56.90 mm / 2.24 in Oval Polycarbonate Clear Polycarbonate Black (x1) 5/16"-18 x 1.25" Mounting Bolt Universal Pedestal Mount -40 °C / -40 °F 65 °C / 149 °F Integrated 2-Pin Deutsch Weather-Proof Socket (DT04-2P) 2-Pin Deutsch Weather-Proof Plug (DT06-2S) 0.86 lbs / 0.39 kgs





PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage	12V DC
Operating Voltage	10-15V DC
Transient Spike Protection	330V Peak @ 1 HZ-100 Pulses
Red Wire	Positive
Black Wire	Negative
Current Draw	1A @ 12V DC

REGULATORY STANDARDS COMPLIANCE



Buy America StandardsOCISPR 22IIEC IP67STested to ECE Reg. 10(Radiated Emissions only)

CISPR 12 Eco Friendly SAE J1113-13

Print date: 2024-04-26 © 2024 J.W. Speaker Corporation • Germantown, WI U.S.A. www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660



PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output Effective Lumen Output Nominal LED Color Temperature Beam Pattern(s)	900 700 5000 K Forward Lighting - Flood (Standard)	Flood Beam (2.5m high at -15°) 10+ Lux 15m 1 Lux 0m 0.25 Lux 15m 30m 25m 50m			
APPLICATIONS					
Agriculture	ruction	Mining Off-Road 4x4			
Truck & Bus					

PRODUCT WARNINGS

For California residents:

- **WARNING:** Cancer and reproductive harm <u>www.P65Warnings.ca.gov</u>.
- AVERTISSEMENT: Cancer et effet nocif sur la reproduction www.P65Warnings.ca.gov.



ACCESSORIES





Part Number 8200011 Magnet Mount Kit for XD Series Work Lights

Part Number 8200101 Stainless Steel Mounting Kit for Work Lights & Marine Lights



Part Number 8200491 Mounting Kit For Work Lights

RELATED PRODUCTS



Part Number 1706051 12V LED Work Light with Trapezoid Beam Pattern & DT04-2P Connector



Part Number 1706241 with Flood Beam Pattern & DT04-2P Connector



Part Number 1706251 with Trapezoid Beam Pattern & DT04-2P

Connector



Part Number 1706261 with Spot Beam Pattern & DT04-2P

Connector



Part Number 1706461 12-48V LED Work Light 12-48V LED Work Light 12-48V LED Work Light 12-48V LED Work Light with Flood Beam Pattern & PE12015792 Connector

