PRODUCT INFORMATION

Description 12V LED John Deere Work Light - Direct

Replacement for AXE45388 &

AXE43722

 Height
 136.00 mm / 5.35 in

 Width
 141.00 mm / 5.55 in

 Depth
 57.00 mm / 2.24 in

Shape Oval

Outer Lens Material Polycarbonate

Outer Lens Color Clear

Housing Material Polycarbonate

Housing Color Black
Mounting Hardware (x1)

Description

Mounting Type Universal Pedestal Mount

Minimum Operating $-40 \, ^{\circ}\text{C} \, / \, -40 \, ^{\circ}\text{F}$

Temperature

Maximum Operating 65 °C / 149 °F

Temperature

Connector or WiringIntegrated 2-Pin Packard SocketMating Connector2-Pin Packard (12124817)


Product Weight 0.70 lbs / 0.32 kgs Shipping Weight 7.50 lbs / 3.4 kgs








PRODUCT DIMENSIONS







ELECTRICAL SPECIFICATIONS

Input Voltage12V DCOperating Voltage9-16V DC

Current Draw .780A @ 12V DC (Worklamp)

REGULATORY STANDARDS COMPLIANCE





IEC IP67 IEC IP69K



PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output 1930 **Effective Lumen** 845

Output

Candela Output 310 Nominal LED Color 5700 K

Temperature

Beam Pattern(s) Forward Lighting - Flood

(Standard)

PRODUCT WARNINGS

For California residents:

<u> **MARNING:**</u> Cancer and reproductive harm - <u>www.P65Warnings.ca.gov</u>.

AVERTISSEMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

ACCESSORIES



Part Number 8201311

Connector Kit (PACKARD 12124817)



RELATED PRODUCTS



Part Number 1707301 12V LED Work Light with Flood Beam Pattern with Pedestal

Mount



Part Number 1707311 12V LED Work Light with Flood Beam Pattern with Pendant Mount



Part Number 1707321 12V LED CNH Work Light - Direct Replacement for



Part Number 1707341 12V LED CNH Work Light - Direct Replacement for 87001315 & 87284332 84520928 & 84564892



Part Number 1707351 12V LED John Deere Work Light - Direct Replacement for RE198622 & RE198623



Part Number 1707361 12V LED John Deere Work Light - Direct Replacement for AXE16947, AH207789 & AXE40244