# LED Work Light - Model 806

#### PRODUCT INFORMATION

**Description** 12V LED Work Light with Flood Beam

Pattern & Fender Mount

 Height
 130.30 mm / 5.13 in

 Width
 143.26 mm / 5.64 in

 Depth
 60.45 mm / 2.38 in

**Shape** Rectangular

Outer Lens MaterialGlassOuter Lens ColorClear

Housing Material Die-Cast Aluminum

**Housing Color** Black

**Mounting Type** Fender Mount **Minimum Operating** -40 °C / -40 °F

**Temperature** 

**Maximum Operating**  $65 \, ^{\circ}\text{C} \, / \, 149 \, ^{\circ}\text{F}$ 

**Temperature** 

Mating ConnectorPackard (#12020599)Product Weight1.95 lbs / 0.88 kgsShipping Weight36.07 lbs / 16.36 kgs




### **ELECTRICAL SPECIFICATIONS**

Input Voltage 12V DC
Operating Voltage 9-16V DC

**Transient Spike Protection** 150V Peak @ 1 HZ-100 Pulses

Black Wire Negative
Current Draw 1.5A @ 12V DC



# LED Work Light - Model 806

#### REGULATORY STANDARDS COMPLIANCE









Buy America Standards IEC IP67

Tested to ECE Reg. 10 (Radiated Emissions only)

Eco Friendly SAE J1113-21

#### PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output 1,900 Effective Lumen 780


Output

Nominal LED Color 5000 K

Temperature

**Beam Pattern(s)** Forward Lighting - Flood

(Standard)



#### **APPLICATIONS**

















#### **PRODUCT WARNINGS**

For California residents:

▲ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov.

AVERTISSEMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

Print date: 2024-04-26



# LED Work Light - Model 806

#### **RELATED PRODUCTS**



### <u>Part Number</u> <u>0545971</u>

12V LED Work Light with Flood Beam Pattern & Bottom Mount



### **Part Number 0545981**

12V LED Work Light with Flood Beam Pattern & Side Mount



#### <u>Part Number</u> 0547431

12V LED Work Light with Flood Beam Pattern & Combine Retrofit Mount



### Part Number 0548311

12V LED Work Light with Flood Beam Pattern & 10 degree Mounting Plate

