### PRODUCT INFORMATION

**Description** 12-24V LED Work Light with Flood Beam

Pattern

 Height
 154.18 mm / 6.07 in

 Width
 113.28 mm / 4.46 in

 Depth
 54.10 mm / 2.13 in

**Shape** Square

Outer Lens Material Polycarbonate

Outer Lens Color Clear

Housing Material Polycarbonate

Housing Color Black

**Mounting Hardware** (x1) 5/16"-18 x 1.00" Mounting Bolt

**Description** 

Mounting Type Universal Pedestal Mount

**Minimum Operating**  $-40 \, ^{\circ}\text{C} \, / \, -40 \, ^{\circ}\text{F}$ 

**Temperature** 

**Maximum Operating**  $65 \, ^{\circ}\text{C} \, / \, 149 \, ^{\circ}\text{F}$ 

**Temperature** 

**Connector or Wiring** Integrated 2-Pin Deutsch Weather-Proof

Socket (DT04-2P)

Mating Connector 2-Pin Deutsch Weather-Proof Plug


(DT06-2S)

Product Weight 0.86 lbs / 0.39 kgs Shipping Weight 1.30 lbs / 0.59 kgs





### **PRODUCT DIMENSIONS**



### **ELECTRICAL SPECIFICATIONS**

Input Voltage12-24V DCOperating Voltage10-30V DC

Transient Spike Protection 330V Peak @ 1 HZ-100 Pulses

Red Wire Positive
Black Wire Negative

**Current Draw** 1.25A @ 12V DC 0.61A @ 24V DC

### **REGULATORY STANDARDS COMPLIANCE**









Buy America Standards CISPR 12
CISPR 22 Eco Friendly
IEC IP69K SAE J1113-13

**UL** Recognized



www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660



### PHOTOMETRIC SPECIFICATIONS

**Raw Lumen Output** 1,080 **Effective Lumen** 780

Output


**Nominal LED Color** 

**Temperature** 

**Beam Pattern(s)** Forward Lighting - Flood

(Standard)

5000 K



### **APPLICATIONS**





















#### PRODUCT WARNINGS

For California residents:

▲ WARNING: Cancer and reproductive harm - www.P65Warnings.ca.gov.

AVERTISSEMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.



### **RELATED PRODUCTS**



**Part Number** 1300011 with Trapezoid Beam Pattern



**Part Number** 1300021 12-24V LED Work Light 12-24V LED Work Light 12-110V LED Work with Spot Beam Pattern



**Part Number** 1300031 Light with Trapezoid Beam Pattern & Integrated 2-Pin **Deutsch Connector** 



**Part Number** 1300041 12-110V LED Work Light with Trapezoid Beam Pattern & Integrated AMP Connector



**Part Number** 1300091 12-110V LED Work Light with Flood Beam Pattern



**Part Number** 1300101 12-110V LED Work Light with Spot Beam Pattern



**Part Number** 1300301 with Left Hand Vertical Flood Beam Pattern



**Part Number** 1300311 12-48V LED Work Light 12-48V LED Work Light with Right Hand Vertical Flood Beam Pattern