LED Signal Lights – Military Blackout Lights

PRODUCT INFORMATION

|	
Description	24V 60mm Amber Front Blackout Marker Light - Bulk Qty (18 MIN)
Height	39.88 mm / 1.57 in
Width	59.94 mm / 2.36 in
Depth	45.72 mm / 1.8 in
Shape	Round
Outer Lens Material	Polycarbonate
Outer Lens Color	Clear
Housing Material	Nylon
Housing Color	Black
Mounting Hardware Description	(x2) #6-Screw
Mounting Type	Flange Mount
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	85 °C / 185 °F
Connector or Wiring	Deutsch DT04-2P
Mating Connector	Deutsch DT06-2S
Product Weight	0.08 lbs / 0.04 kgs
Shipping Weight	2.20 lbs / 1 kgs
Additional Information	Light color is Amber. Meets MIL-PRF-32214 Section 3.8.5

LED Signal Lights – Military Blackout Lights

PRODUCT DIMENSIONS

ELECTRICAL SPECIFICATIONS

Input Voltage	24V DC
Operating Voltage	18-32V DC
Black Wire	Ground
Red Wire	Positive
Current Draw	0.025A @ 24V DC

REGULATORY STANDARDS COMPLIANCE

Buy America Standards   Eco Friendly
IEC IP67

PHOTOMETRIC SPECIFICATIONS

Beam Pattern(s)	Signalization - Marker

LED Signal Lights – Military Blackout Lights

APPLICATIONS

Military

PRODUCT WARNINGS

For California residents:
⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.
⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

RELATED PRODUCTS

Part Number 0347512
24V 60mm Red Rear Blackout Tail Light - Bulk Qty (18 MIN)

Part Number 0347522
24V 60mm Amber Rear Blackout Stop Light - Bulk Qty (18 MIN)

Part Number 0550312
24V 60mm Cyan LH Blackout Driving Light - Bulk Qty (18 MIN)

Part Number 0550732
24V 60mm Cyan RH Blackout Driving Light - Bulk Qty (18 MIN)

Part Number 0556132
12-24V 117mm Cyan Blackout Driving Light with Tan Housing - Bulk Qty (24 MIN)

Part Number 0556142
12-24V 117mm Cyan Blackout Driving Light with Green Housing - Bulk Qty (24 MIN)