

# LED Solar Flasher & Warning Light - Model 210

## PRODUCT INFORMATION

|                                      |   |
|--------------------------------------|---|
| <b>Description</b>                   | LED Solar Amber Flasher w/ Click Bond Mounting Kit                                  |
| <b>Height</b>                        | 136.00 mm / 5.35 in   |
| <b>Width</b>                         | 147.10 mm / 5.79 in   |
| <b>Depth</b>                         | 21.00 mm / 0.83 in  |
| <b>Shape</b>                         | Rectangular   |
| <b>Outer Lens Material</b>           | Acrylic   |
| <b>Outer Lens Color</b>              | Clear   |
| <b>Housing Material</b>              | Polycarbonate   |
| <b>Housing Color</b>                 | Black   |
| <b>Minimum Operating Temperature</b> | -40 °C / -40 °F   |
| <b>Maximum Operating Temperature</b> | 65 °C / 149 °F  |
| <b>Connector or Wiring</b>           | NA  |
| <b>Mating Connector</b>              | NA  |
| <b>Product Weight</b>                | 0.40 lbs / 0.18 kgs   |
| <b>Shipping Weight</b>               | 0.80 lbs / 0.36 kgs   |
| <b>Additional Information</b>        | Flash sequence operates when there is not the presence of an external light source. |




**Print date: 2026-03-24**

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**   
 Engineered. Lighting. Solutions.

# LED Solar Flasher & Warning Light - Model 210

## PRODUCT DIMENSIONS



## ELECTRICAL SPECIFICATIONS

|                              |           |
|------------------------------|-----------|
| <b>Battery Run Time</b>      | 120 hours |
| <b>Battery Recharge Time</b> | 6 hours   |

## REGULATORY STANDARDS COMPLIANCE



IEC IP69K

## PHOTOMETRIC SPECIFICATIONS

**Beam Pattern(s)** Warning - Flashing Warning

**Print date:** 2026-03-24

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660

# LED Solar Flasher & Warning Light - Model 210

## APPLICATIONS

---



## PRODUCT WARNINGS

---

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## RELATED PRODUCTS

---



**Part Number**  
**0647031**

LED Solar Amber  
Flasher



**Part Number**  
**0647041**

LED Solar Red Flasher



**Part Number**  
**0647081**

LED Solar Red Flasher  
w/ Click Bond  
Mounting Kit