


# LED Front Position & Signal Lights – Model 215

## PRODUCT INFORMATION

<b>Description</b>	12V ECE/SAE LED Front Position & Direction Indicator Light (BULK)
<b>Height</b>	40.00 mm / 1.57 in
<b>Width</b>	128.00 mm / 5.04 in
<b>Depth</b>	25.50 mm / 1 in
<b>Shape</b>	Rectangular
<b>Outer Lens Material</b>	PMMA
<b>Outer Lens Color</b>	CLEAR
<b>Housing Material</b>	Polycarbonate
<b>Housing Color</b>	BLACK
<b>Bezel Color</b>	N/A
<b>Mounting Hardware Description</b>	(x2) Self Threading Nut, 7/16" or 11mm
<b>Mounting Type</b>	Flush
<b>Minimum Operating Temperature</b>	-40 °C / -40 °F
<b>Maximum Operating Temperature</b>	85 °C / 185 °F
<b>Mating Connector</b>	DEUTSCH DT06-3S-P012 (3 PIN)
<b>Product Weight</b>	0.18 lbs / 0.08 kgs
<b>Shipping Weight</b>	7.20 lbs / 3.27 kgs




**Print date: 2026-05-25**

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660



**J.W. SPEAKER**   
 Engineered. Lighting. Solutions.

# LED Front Position & Signal Lights - Model 215

## PRODUCT DIMENSIONS



PIN	FUNCTION
PIN A	DIRECTIONAL INDICATOR
PIN B	FRONT POSITION
PIN C	GROUND



5430452  
(Not Included)

Print date: 2026-05-25


© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

# LED Front Position & Signal Lights – Model 215

## ELECTRICAL SPECIFICATIONS

<b>Input Voltage</b>	12V DC
<b>Operating Voltage</b>	9-16V DC
<b>White Wire</b>	Front Position
<b>Yellow Wire</b>	Turn
<b>Black Wire</b>	Ground
<b>Current Draw</b>	0.02A @ 12V DC (Front Position) 0.10A @ 12V DC (Turn)

## REGULATORY STANDARDS COMPLIANCE




ECE Reg 148 - 1a	ECE Reg 148 - A
FMVSS 108 s7.1 (Table VI)	FMVSS 108 s7.8 (Table XIV)
ISO 13207-1	SAE J222
SAE J588	

## PHOTOMETRIC SPECIFICATIONS

<b>Beam Pattern(s)</b>	Signalization - Front Position Signalization - Turn (Front) Warning - Flashing Warning
------------------------	--

## APPLICATIONS



Print date: 2026-05-25

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

**J.W. SPEAKER**  
Engineered. Lighting. Solutions.

# LED Front Position & Signal Lights – Model 215

## PRODUCT WARNINGS

---

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## ACCESSORIES

---



**Part Number**

**3270601**

Wire Harness, 12"  
18GA w/ DT06-3S

---

**Print date: 2026-05-25**

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.  
[www.jwspeaker.com](http://www.jwspeaker.com) • [speaker@jwspeaker.com](mailto:speaker@jwspeaker.com) • 262.251.6660

# LED Front Position & Signal Lights - Model 215

## RELATED PRODUCTS

---



**Part Number**  
**0348251**  
12V ECE/SAE LED  
Front Position &  
Direction Indicator  
Light



**Part Number**  
**0348451**  
24V ECE LED Front  
Position & Direction  
Indicator Light



**Part Number**  
**0348452**  
24V ECE LED Front  
Position & Direction  
Indicator Light (BULK)



**Part Number**  
**0348723**  
12V SAE LED Stop, Tail  
& Turn Light - 2 Light  
Kit



**Part Number**  
**0348733**  
12V ECE/SAE LED  
Direction Indicator - 2  
Light Kit



**Part Number**  
**0348743**  
12V ECE LED Stop,  
Tail, & Turn - 2 Light  
Kit