Model BOBCAT GEN 5 LED Headlight

PRODUCT INFORMATION

Description 12V Gen 5 Bobcat LED Flood Headlight,

LH & RH Kit

 Height
 174.00 mm / 6.85 in

 Width
 189.00 mm / 7.44 in

 Depth
 152.00 mm / 5.98 in

Shape Stylized

Outer Lens Material Polycarbonate

Outer Lens ColorClearHousing MaterialNylonHousing ColorBlack

Minimum Operating $-40 \, ^{\circ}\text{C} \, / \, -40 \, ^{\circ}\text{F}$

Temperature

Maximum Operating $65 \, ^{\circ}\text{C} \, / \, 149 \, ^{\circ}\text{F}$

Temperature

Mating ConnectorPE 12124819Product Weight1.17 lbs / 0.53 kgsShipping Weight3.00 lbs / 1.36 kgs

Additional Information Direct replacement for OEM Bobcat part

Numbers:

7251341, 7138041, 7399583 (Left-hand

Headlights)

7251340, 7138040, 7399582 (Right-

hand Headlights)




BOBCAT RIGHT HAND FLOOD HEADLIGHT

BOBCAT LEFT HAND FLOOD HEADLIGHT



Model BOBCAT GEN 5 LED Headlight

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage 12V DC
Operating Voltage 10 - 16V DC

Transient Spike Protection 150V Peak @ 1 HZ-100 Pul **Current Draw** 1.50A @ 12V DC (Flood)

REGULATORY STANDARDS COMPLIANCE



IEC IP67



Model BOBCAT GEN 5 LED Headlight

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output 1728 **Effective Lumen** 1050

Output

Nominal LED Color

Temperature

Beam Pattern(s) Forward Lighting - Flood (Medium)

5000 K

PRODUCT WARNINGS

For California residents:

WARNING: Cancer and reproductive harm - <u>www.P65Warnings.ca.gov</u>.

▲ AVERTISSEMENT: Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

RELATED PRODUCTS







0557631 12V Gen 5 Bobcat LED Flood Headlight, RH

Part Number

