

Model BOBCAT GEN 5 LED Headlight

PRODUCT INFORMATION

Description	12V Gen 5 Bobcat LED Flood Headlight, LH
Height	174.00 mm / 6.85 in
Width	189.00 mm / 7.44 in
Depth	152.00 mm / 5.98 in
Shape	Stylized
Outer Lens Material	Polycarbonate
Outer Lens Color	Clear
Housing Material	Nylon
Housing Color	Black
Minimum Operating Temperature	-40 °C / -40 °F
Maximum Operating Temperature	65 °C / 149 °F
Mating Connector	PE 12124819
Product Weight	1.17 lbs / 0.53 kgs
Shipping Weight	1.65 lbs / 0.75 kgs
Additional Information	Direct replacement for OEM Bobcat part Numbers: 7251341, 7138041, 7399583 (Left-hand Headlights) 7251340, 7138040, 7399582 (Right-hand Headlights)




Print date: 2025-07-04

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
Engineered. Lighting. Solutions.

Model BOBCAT GEN 5 LED Headlight

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

Input Voltage	12V DC
Operating Voltage	10 - 16V DC
Transient Spike Protection	150V Peak @ 1 HZ-100 Pul
Current Draw	1.50A @ 12V DC (Flood)

REGULATORY STANDARDS COMPLIANCE



IEC IP67

Print date: 2025-07-04

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
Engineered. Lighting. Solutions.

Model BOBCAT GEN 5 LED Headlight

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output	1728
Effective Lumen Output	1050
Nominal LED Color Temperature	5000 K
Beam Pattern(s)	Forward Lighting - Flood (Medium)

PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

RELATED PRODUCTS



Part Number
0557613

12V Gen 5 Bobcat LED
Flood Headlight, LH &
RH Kit



Part Number
0557631

12V Gen 5 Bobcat LED
Flood Headlight, RH

Print date: 2025-07-04

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER®
Engineered. Lighting. Solutions.