


Motorcycle LED Headlights - Model 8780

PRODUCT INFORMATION

Description	12V DOT/ECE LED High & Low Beam Headlight with Chrome Inner Bezel
Height	176.00 mm / 6.93 in
Width	176.00 mm / 6.93 in
Depth	80.00 mm / 3.15 in
Shape	Round
Outer Lens Material	Polycarbonate
Outer Lens Color	Clear
Housing Material	Aluminum
Housing Color	Black
Bezel Color	Chrome
Retrofits	Bucket 7" Round Headlight (PAR56)
Connector or Wiring	H4
Mating Connector	H4 AMP#172615-2
Product Weight	1.95 lbs / 0.88 kgs
Shipping Weight	2.95 lbs / 1.34 kgs
Additional Information	Includes H-4 connector with 4th front position wire for ECE compliance.



PRODUCT DIMENSIONS



Print date: 2026-01-31

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

Motorcycle LED Headlights - Model 8780

ELECTRICAL SPECIFICATIONS

Input Voltage	12 V
Operating Voltage	9-16 V
Black Wire	Ground
White Wire	High Beam
Yellow Wire	Low Beam
Red Wire	Front Position
Current Draw	2.25A @ 12V (High Beam) 1.70A @ 12V (Low Beam) 0.20A @ 12V (Front Position)

REGULATORY STANDARDS COMPLIANCE



ECE Reg 10	ECE Reg 113
ECE Reg 50	FMVSS 108 s10.1 (Table XX)
IEC IP67	SAE J584

PHOTOMETRIC SPECIFICATIONS


Raw Lumen Output	3,080 (High Beam); 1,950 (Low Beam)
Effective Lumen Output	1,200 (High Beam); 750 (Low Beam)
Candela Output	62,800 (High Beam); 7,500 (Low Beam)
Nominal LED Color Temperature	5000 K
Beam Pattern(s)	Forward Lighting - High Beam (DOT/ECE) Forward Lighting - Low Beam (DOT/ECE)

Print date: 2026-01-31

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

Motorcycle LED Headlights - Model 8780

APPLICATIONS



PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.
⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

RELATED PRODUCTS



Part Number

0555321

12V DOT/ECE LED
High & Low Beam
Headlight with Black
Inner Bezel

Print date: 2026-01-31

© 2026 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660