



LED Light Bars - Model TS1500

PRODUCT INFORMATION

Description	12-24V LED 18.5" Light Bar with Trail Beam Pattern
Height	40.00 mm / 1.57 in
Width	470.00 mm / 18.5 in
Depth	54.00 mm / 2.13 in
Shape	Rectangular
Outer Lens Material	Nylon
Outer Lens Color	Clear
Housing Material	TC PA6
Housing Color	Black
Mounting Hardware Description	(x2) M6-1 x
Connector or Wiring	Bare Leads, 2.5mm Jacketed Cable
Product Weight	1.45 lbs / 0.66 kgs
Shipping Weight	1.99 lbs / 0.9 kgs



PRODUCT DIMENSIONS



Print date: 2018-11-18

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
 Engineered. Lighting. Solutions.

LED Light Bars - Model TS1500

ELECTRICAL SPECIFICATIONS

Input Voltage	12-24V DC
Operating Voltage	9-33V DC
Red Wire	Positive
Black Wire	Ground
Current Draw	2.995A @ 12V DC

REGULATORY STANDARDS COMPLIANCE




Buy America Standards


Eco Friendly

PHOTOMETRIC SPECIFICATIONS

Effective Lumen Output	2,200
Candela Output	88,677
Nominal LED Color Temperature	5500 K
Beam Pattern(s)	Forward Lighting - Spot



APPLICATIONS



Print date: 2018-11-18

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
 www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

LED Light Bars - Model TS1500

ACCESSORIES



Part Number
5869731

Lens Cover for Model
TS1500 - Black



Part Number
5869741

Lens Cover for Model
TS1500 - Clear



Part Number
5869751

Lens Cover for Model
TS1500 - Amber



Part Number
8200271

Single End Bracket Kit
for Model TS1000 Light
Bars



Part Number
8200281

Double End Bracket Kit
for Model TS1000 Light
Bars



Part Number
8200291

Replacement End
Bracket for Model
TS1000 Light Bars



Part Number
8200301

Replacement C Bracket
for Model TS1000 Light
Bars

RELATED PRODUCTS



Part Number
055441

12-24V LED 18.5" Light
Bar with Diffuse Beam
Pattern

Print date: 2018-11-18

© 2018 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660