

Oval LED Work Light - Model 7251 XD

PRODUCT INFORMATION

| | |
|--------------------------------------|---|
| Description | 12-24V LED Work Light with Trapezoid Beam Pattern & Panel Mount |
| Height | 152.40 mm / 6 in |
| Width | 170.18 mm / 6.7 in |
| Depth | 68.58 mm / 2.7 in |
| Shape | Oval |
| Outer Lens Material | Polycarbonate |
| Outer Lens Color | Clear |
| Housing Material | Polycarbonate |
| Housing Color | Black |
| Bezel Color | N/A |
| Mounting Hardware Description | (x1) 3/8-16 x 1.5" Stainless Steel Hex Head Bolt |
| Minimum Operating Temperature | -40 °C / -40 °F |
| Maximum Operating Temperature | 65 °C / 149 °F |
| Connector or Wiring | Deutsch DT04-2P |
| Mating Connector | Deutsch DT06-2S |
| Product Weight | 0.80 lbs / 0.36 kgs |
| Shipping Weight | 2.50 lbs / 1.13 kgs |




Print date: 2025-09-05

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER 
Engineered. Lighting. Solutions.

Oval LED Work Light - Model 7251 XD

PRODUCT DIMENSIONS



ELECTRICAL SPECIFICATIONS

| | |
|--------------------------|----------------------------------|
| Input Voltage | 12-24V DC |
| Operating Voltage | 10-32V DC |
| Black Wire | Ground |
| Red Wire | Power |
| Current Draw | 1.60A @ 12V DC 0.90A @ 24V DC |

REGULATORY STANDARDS COMPLIANCE



Buy America Standards
CISPR 22
IEC IP69K
UL Recognized

CISPR 12
Eco Friendly
SAE J1113-13

Print date: 2025-09-05


© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.

Oval LED Work Light - Model 7251 XD

PHOTOMETRIC SPECIFICATIONS

| | |
|--------------------------------------|------------------------------|
| Raw Lumen Output | 3,150 |
| Effective Lumen Output | 1,400 |
| Nominal LED Color Temperature | 5000 K |
| Beam Pattern(s) | Forward Lighting - Trapezoid |



APPLICATIONS



PRODUCT WARNINGS

For California residents:

⚠ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.

⚠ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

RELATED PRODUCTS



Part Number
1801531

12-24V LED Work Light
with Spot Beam
Pattern & Panel Mount

Part Number
1801551

12-24V LED Work Light
with Flood Beam
Pattern & Panel Mount

Print date: 2025-09-05

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A.
www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660

J.W. SPEAKER
Engineered. Lighting. Solutions.