
Oval LED Work Lights - Model 7250 XD

PRODUCT INFORMATION

Description	12-24V LED Work Light with Trapezoid Beam Pattern & Pedestal Mount	
Height	152.40 mm / 6 in	
Width	170.18 mm / 6.7 in	
Depth	68.58 mm / 2.7 in	
Shape	Oval	
Outer Lens Material	Polycarbonate	
Outer Lens Color	Clear	
Housing Material	Polycarbonate	
Housing Color	Black	
Mounting Hardware Description	(x1) 3/8-16 x 1.5" Stainless Steel Hex Head Bolt	(17250 XP
Minimum Operating Temperature	-40 °C / -40 °F	
Maximum Operating Temperature	65 °C / 149 °F	
Connector or Wiring	Deutsch DT04-2P	
Mating Connector	Deutsch DT06-2S	
Product Weight	0.80 lbs / 0.36 kgs	
Shipping Weight	2.80 lbs / 1.27 kgs	

PRODUCT DIMENSIONS



Print date: 2025-09-03

© 2025 J.W. Speaker Corporation • Germantown, WI U.S.A. www.jwspeaker.com • speaker@jwspeaker.com • 262.251.6660



Oval LED Work Lights - Model 7250 XD

ELECTRICAL SPECIFICATIONS

Input Voltage	12-24V DC
Operating Voltage	10-32V DC
Black Wire	Ground
Red Wire	Power
Current Draw	1.60A @ 12V DC 0.90A @ 24V DC


REGULATORY STANDARDS COMPLIANCE



Buy America Standards CISPR 22 IEC IP69K UL Recognized CISPR 12 Eco Friendly SAE J1113-13

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output	3715
Effective Lumen Output	2204
Nominal LED Color Temperature	5700 K
Beam Pattern(s)	Forward Lighting - Trapezoid





Oval LED Work Lights - Model 7250 XD

APPLICATIONS



PRODUCT WARNINGS

For California residents:

WARNING: Cancer and reproductive harm - <u>www.P65Warnings.ca.gov</u>.

AVERTISSEMENT: Cancer et effet nocif sur la reproduction - <u>www.P65Warnings.ca.gov</u>.

RELATED PRODUCTS



Part Number 1801501 12-24V LED Work Light 12-24V LED Work Light with Spot Beam Pattern & Pedestal Mount



Part Number 1801521 with Flood Beam Pattern & Pedestal Mount

